



Issue Date 23-Jun-2011

Revision Date 3-Mar-2015

Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

SDS #	DCI-039
Recommended Use of the Chemic	al and Restrictions on Use
Recommended Use	Paint remover.
Details of the Supplier of the Safet Supplier Address Dumond Chemicals, Inc. 83 General Warren Blvd Suite 190 Malvern, PA 19355	ty Data Sheet
<u>Emergency Telephone Number</u> Company Phone Number Emergency Telephone	1-609-655-7700 INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)
	2. HAZARDS IDENTIFICATION
<u>Classification</u>	
Among White viewous liquid	Dhysical State Liquid
Appearance White viscous liquid	Physical State Liquid

Odor Faint aromatic odor

Hazards Not Otherwise Classified (HNOC) May be harmful if swallowed May be harmful in contact with skin

Other Hazards

Toxic to aquatic life with long lasting effects Toxic to aquatic life

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	40-60

Benzyl alcohol	100-51-6	30-50
Titanium dioxide	13463-67-7	1-5

4. FIRST AID MEASURES

Inhalation	Remove to fresh air. Oxygen or artificial respiration if needed. Get medical attention if necessary.	
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention if necessary.	
Ingestion	If conscious give 2 glasses of water to dilute. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if necessary.	
Skin Contact	Wash thoroughly with soap and water until no traces of the chemical remain. Remove contaminated clothing and shoes. Get medical attention if irritation occurs.	
Most Important Symptoms and Effects, both Acute and Delayed		
Symptoms	May cause skin and eye irritation. May be harmful if absorbed through the skin. Mists and vapors cause irritation of the eyes, mucous membranes, and upper respiratory tract.	
Indication of any Immediate Medical Attention and Special Treatment Needed		
Note to Physicians	Treat symptomatically. Individuals with chronic respiratory or skin diseases may be at risk from exposure.	

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray (fog). Foam. Dry chemical or CO2.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Decomposition may be hazardous. Vapors may form explosive mixtures with air in confined areas. Sealed containers may rupture when heated. Cool containers exposed to flames with water until well after the fire is out.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Use personal protective equipment as required.

Environmental Precautions Do not allow into any sewer, on the ground or into any body of water. See Section 12 for additional ecological information.

Methods and Material for Containment and Cleaning Up

Methods for Containment	Prevent further leakage or spillage if safe to do so. Remove all sources of ignition. Dike sp and prevent spill from entering sewers and waterways. Collect using an inert absorbent material and place in appropriate containers for disposal.		
Methods for Cleaning Up	Keep in suitable, closed containers for disposal. Wash spill area with plenty of water. Spil and releases may have to be reported to Federal and/or local authorities. See section 15		
	7. HANDLING AND STORAGE		
Precautions for Safe Handling			
Advice on Safe Handling	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Protect container from physical damage. Avoid breathing vapors or mists. Remove contaminated clothing and shoes. Wash thoroughly after handling before eating, drinking, smoking, or using toilet facilities. Since empty container retains residue, follow all label warnings even after container is empty.		
Conditions for Safe Storage, Includ	ing any Incompatibilities		
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from oxidizers and incompatible materials.		
Incompatible Materials	Strong acids. Bases. Reducing agent. Strong oxidizing agents.		

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Titanium dioxide 13463-67-7	TWA: 10 mg/m ³	TWA: 15 mg/m ³ total dust (vacated) TWA: 10 mg/m ³ total dust	IDLH: 5000 mg/m ³

Appropriate Engineering Controls

Engineering Controls For operations where contact can occur, a safety shower and an eye wash facility should be available. Provide natural or mechanical ventilation to control exposure levels below airborne exposure limits.

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection	Chemical safety goggles/faceshield. Do not wear contact lenses.	
Skin and Body Protection	Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Butyl rubber or other impervious gloves are required.	
Respiratory Protection	If occupational exposure limits are exceeded, use NIOSH approved respirator with organic vapor cartridges and dust/mist pre-filter. For higher concentrations (greater than10 times the recommended exposure limit) an approved supplied air respirator (with escape bottle if required) or self–contained breathing apparatus may be required. Selection of respiratory protection depends on the contaminant type, form, and concentration. Select in accordance with OSHA 1910.134 and good industrial hygiene practice.	
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.	
9. PHYSICAL AND CHEMICAL PROPERTIES		

Information on Basic Physical and Chemical Properties

Physical State Appearance	Liquid White viscous liquid	Odor	Faint aromatic odor
Color	White	Odor threshold	Not determined
<u>Property</u>	Values_	Remarks • Method	
рН	6		
Melting point/freezing point	-15 °C / 5 °F		
Boiling point/boiling range	96 °C / 205 °F		
Flash point	None		
Evaporation rate	< 1		
Flammability (solid, gas)	Not determined		
Flammability limits in air			
Upper flammability limits	Not available		
Lower flammability limit	Not available		
Vapor pressure	0.1 mmHg	@ 30 °C	
Vapor density	3-4	(Air=1)	
Specific gravity	10.54 lbs/gal		
Water solubility	Partially soluble		
Solubility in other solvents	Not determined		
Partition coefficient	Not available		
Autoignition temperature	Not available		
Decomposition temperature	Not determined		
Kinematic viscosity	Not determined		
Dynamic viscosity	Not determined		
Explosive properties	Not determined		
Oxidizing Properties	Not determined		
Other Information			
VOC Content (%)	0%		
VOC Content	0 lbs/gal		

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

Strong acids. Bases. Reducing agent. Strong oxidizing agents.

Hazardous Decomposition Products

Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx). May oxidize with air to form benzaldehyde and benzoic acid.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Inhalation	Avoid breathing vapors or mists.	
Eye Contact	Avoid contact with eyes.	
Skin Contact	May be harmful in contact with skin.	
Ingestion	May be harmful if swallowed.	

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
Benzyl alcohol 100-51-6	= 1230 mg/kg(Rat)	= 2000 mg/kg (Rabbit)	= 8.8 mg/L (Rat)4 h
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)	-	-

Information on Physical, Chemical and Toxicological Effects

Symptoms

May cause skin and eye irritation. May be harmful if absorbed through the skin. Mists and vapors cause irritation of the eyes, mucous membranes, and upper respiratory tract.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Carcinogenicity

Titanium dioxide is a possible carcinogen when it appears as a respirable dust.

Chemical Name	ACGIH	IARC	NTP	OSHA
Titanium dioxide		Group 2B		Х
13463-67-7				
Chronic toxicity	Individuals with chronic respiratory or skin diseases may be at risk from exposure.			

Numerical Measures of Toxicity- Product

Not determined

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	3047 mg/kg
ATEmix (dermal)	5000 mg/kg
ATEmix (inhalation-gas)	1750 mg/l
ATEmix (inhalation-dust/mist)	0.1 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Benzyl alcohol 100-51-6	35: 3 h Anabaena variabilis mg/L EC50	460: 96 h Pimephales promelas mg/L LC50 static 10: 96 h Lepomis macrochirus mg/L LC50 static	EC50 = 50 mg/L 5 min EC50 = 63.7 mg/L 15 min EC50 = 63.7 mg/L 5 min EC50 = 71.4 mg/L 30 min	23: 48 h water flea mg/L EC50

Persistence and Degradability

Material is readily biodegradable.

Bioaccumulation

The product has low potential for bioaccumulation.

Mobility Not determined.

Chemical Name	Partition coefficient
Benzyl alcohol	1.1
100-51-6	

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. TRANSPORT INFORMATION

Note	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances
DOT	Not regulated
IATA	Not regulated
IMDG	Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA DSL	Listed			
Listed Legend: TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances				
US Federal Regulations				
SARA 311/312 Hazard Categories				
Acute health hazard	Yes			
Chronic Health Hazard	Yes			

Acute nealth hazard	res
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

US State Regulations

Chemical Name	California Proposition 65
Titanium dioxide - 13463-67-7	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Benzyl alcohol 100-51-6		X	Х
Titanium dioxide 13463-67-7	Х	X	Х

U.S. EPA Label Information

16. OTHER INFORMATION

<u>NFPA</u> HMIS	Health Hazards 2 Health Hazards Not determined	Flammability 1 Flammability Not determined	Instability 0 Physical Hazards Not determined	Special Hazards Not determined Personal Protection Not determined
Issue Date Revision Date	23-Jun-2011 12-Dec-2012			

New format

Disclaimer

Revision Note

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet