



ZODIAC INTERNATIONAL

DIVISION MARINE

ZODIAC WORK-BOAT 525

P/N Z85012

Rev 1 – June 1st 10
TECHNICAL DATA SHEET



Made for Professionals

The ZODIAC Work-Boats have been designed to meet the high level of requirements expected by professional users.

Our multi role heavy duty workboats make the ideal platform of choice.

The craft are easy to assemble, inflate and launch, their large diameter buoyancy tubes, and wide beam, give greater stability, high maneuverability, and with planning speed performance even with heavy loads.

ZODIAC are the market leaders in the design and development of inflatable craft, the highest levels of expertise in design and manufacturing goes into producing the Zodiac Work-Boat range, thus making them first choice for the true professional user, where quality counts.

The WB525 is available from stock.

Important Note: Boats available in North America may have different specifications.

THIS MATERIAL CONTAINS PROPRIETARY DATA BELONGING TO ZODIAC INTERNATIONAL. UNAUTHORIZED DISCLOSURE, USE OR REPRODUCTION WILL RESULT IN LIABILITY. ZODIAC RESERVES THE RIGHT TO CHANGE THE SPECIFICATIONS OF THIS TECHNICAL DATA SHEET WITHOUT NOTICE.

Dimensions and weight + or - 3 % (5% on prototype)

page 1 / 4



ZODIAC INTERNATIONAL

DIVISION MARINE

WB 525 – BOAT DEFINITION

CAPACITY

. maximum number of persons :	12	
. maximum load (persons, motor & gear) :	1500 kg	3307 lb
. floorboard usable area :	3,91 m ²	42.1 ft ²
. buoyancy tube volume :	2,25 m ³	79.5 ft ³

DIMENSIONS

. overall length :	5.26 m	17' 3"
. inside length :	3.89 m	12' 8"
. overall width :	2.19 m	7' 2"
. inside width :	1.04 m	3' 4"
. weight empty :	143 kg	315 lb
. buoyancy tube diameter :	57 cm	22"
. folded dimensions :	1,5x0,8x0,45 m ³	59"x31"x18"

SAFETY / INFLATION

. airtight compartments (main buoyancy tube) :	5
. inflation valve :	5 plus keel
. inflatable keel :	1
. total airtight chambers:	5 plus keel

ENGINE POWER

. engine shaft length :	L (20")	
. useful HP range :	30-55 HP	
. maximum HP:	70 HP	
. maximum weight of engine :	120 kg	265 lb

FABRIC

. main buoyancy tubes :	black, 1670 dtx , polyester, Hypalon/neoprene
. keel buoyancy tube :	black, 1100 dtx , polyester, Hypalon/neoprene
. bottom :	black, 1100 dtx , polyester, Hypalon/neoprene
. baffles :	black, 940 dtx , polyester, Hypalon/neoprene

THIS MATERIAL CONTAINS PROPRIETARY DATA BELONGING TO ZODIAC INTERNATIONAL. UNAUTHORIZED DISCLOSURE, USE OR REPRODUCTION WILL RESULT IN LIABILITY. ZODIAC RESERVES THE RIGHT TO CHANGE THE SPECIFICATIONS OF THIS TECHNICAL DATA SHEET WITHOUT NOTICE.

Dimensions and weight + or - 3 % (5% on prototype)

page 2 / 4



STANDARD EQUIPMENT

TRANSOM BLACK

. self bailers – 1 Large flow w/ sleeve + 1 small :	2
. aluminum engine mounting plate, for single engine :	1
. transom sacrificial plate (marine plywood) :	1

FLOORBOARD SYSTEM

. aluminum rigid floorboard panels :	3
. removable marine plywood bow boards :	2

VALVES

. manual inflation valve in each compartment plus keel :	5+1
--	-----

REINFORCEMENTS

. peripheral rubbing strake :	1
. flat rubbing strip underneath keel :	1
. flat rubbing strip underneath tube :	2 each side
. transom bottom stainless steel protection shoe :	1

HANDLING

. lateral carrying handles, molded PVC :	8
. metal bow carrying handle :	1
. peripheral lifeline on lacing cuff :	1

TOWING & LIFTING

. front towing butterfly patches :	2
. rear towing U-bolts on transom :	2
. front lifting butterfly patches :	2
. rear lifting U bolts fitted in transom :	2

THIS MATERIAL CONTAINS PROPRIETARY DATA BELONGING TO ZODIAC INTERNATIONAL. UNAUTHORIZED DISCLOSURE, USE OR REPRODUCTION WILL RESULT IN LIABILITY. ZODIAC RESERVES THE RIGHT TO CHANGE THE SPECIFICATIONS OF THIS TECHNICAL DATA SHEET WITHOUT NOTICE.

Dimensions and weight + or - 3 % (5% on prototype)

page 3 / 4



ZODIAC INTERNATIONAL

DIVISION MARINE

OTHER EQUIPMENT

. boat carrying valise :	1
. foot pump :	1
. repair kit :	1
. pressure gauge :	1
. paddles :	2
. paddle retainers :	2
. handbook :	1

OPTIONAL EQUIPMENT:

. lifting sling, 4 leg :	1
. flexible fuel bag :	1
. stowage pocket (removable) :	1

THIS MATERIAL CONTAINS PROPRIETARY DATA BELONGING TO ZODIAC INTERNATIONAL. UNAUTHORIZED DISCLOSURE, USE OR REPRODUCTION WILL RESULT IN LIABILITY. ZODIAC RESERVES THE RIGHT TO CHANGE THE SPECIFICATIONS OF THIS TECHNICAL DATA SHEET WITHOUT NOTICE.

Dimensions and weight + or - 3 % (5% on prototype)

page 4 / 4