



# N-ZO

B R A N D   N E W   C O N C E P T

THE N-ZOs  
ENJOY THE  
BENEFITS OF  
INNOVATIONS  
INCORPORATED  
INTO THE HULL  
AND DECK  
DESIGN.



pleasure

## pleasure

The N-ZOs are pleasure boats to be enjoyed with others. Particular attention has been paid to the comfort of passengers, both when boating and when moored. **Three innovative features have been included in the deck design:**

- Efficient use has been made of the on board space. The deck layout has been designed to facilitate safe moving on-board. A new console, called an “**Air Console**” (N-ZO 600/ N-ZO 680), has made it possible
- to minimize floor space used and increase the boat’s interior space. The **console of the N-ZO 760** makes steering the boat particularly easy, and also provides practical interior space that can accommodate a WC.
- Entertainment areas have been enhanced. All N-ZO models have a **spacious aft saloon** that can seat a number of people and offers direct access to the aft bathing platform.
- The modular design of the boats has not been overlooked. The N-ZO is equipped with a new “**Reverse & Sun**” bow sunbathing system that allows an extensive sundeck to be created in a matter of seconds by simply unfolding the structure.

The N-ZO range comprises boats that are **aesthetically pleasing, seaworthy, spacious, and safe.**

## design

Following the success of the N-ZO 700 Cabin in 2009, Zodiac® has once again drawn on the talent of renowned Italian designer, Vittorio Garroni, to design these boats with **exclusive lines**. These new boats have been produced in accordance with technical specifications that meet the most frequently demanded requirements of recreational boaters. Zodiac® has endeavoured to design boats that are both safe and comfortable. The new N-Zo range enjoys the benefits of many Zodiac® innovations.

## safety

The safety provided by a semi-rigid boat is unmatched. The N-ZO range benefits from the experience of Zodiac® in the **hull design** and utilizes **two innovative features**:

- **New technology used on the Zodiac® shell**, equipped with a **V-hull**, offers unmatched sea keeping and handling.
- The generous height of the free-boards, due to the size of the buoyancy tube and the structure

of the hull, turn the cabin into a **“cocoon”** for passengers.

design

safety





# N-ZO

## 700 CABIN



The new N-ZO 700 Cabin incorporates all the qualities for which the range is well-known for: harmony of design, quality of finish, ease of use, versatility, and exceptional sea-keeping qualities.

The new design of the buoyancy tubes, the cabin, and the upholstery gives the boat an elegant appeal that consist with the other models in the range: the N-ZO 600, N-ZO 680 and N-ZO 760.

The new Silvertex fabric upholstery provides exceptional seating comfort and is easy to clean. The N-ZO 700 Cabin is the result of an approach based on innovation, combined with a purity of line, and is designed by one of the most prestigious Italian designers: Vittorio Garroni.

Offering a combination of comfort, looks, and ease of use, the N-ZO 700 Cabin's versatility will allow you to experience all boating activities (skiing, diving, exploration, and cruises). The wide 5-seater cabin can sleep 2 and includes a toilet cubicle. The ergonomics of the deck allow for ease of movement on board. The forward sun deck provides a luxurious lounging surface.

The U-shaped aft saloon provides comfort and ease of use thanks to its numerous seats, collapsible table, and sun deck. A kitchenette with sink, refrigerator, and hotplate (optional) provides you with all you need on a cruise.

NEW





CABIN



AFT SALOON

"REVERSE AND SUN"  
SUNBATHING SYSTEM



1



2



3



4



# N-ZO 760



Fitted with the latest Zodiac® innovations, the N-ZO 760 offers entertainment areas on both the fore and aft of the boat. Effortlessly, a table or a Reverse & Sun forward sundeck\* **can be installed.**

To make life on board as enjoyable as possible, the N-ZO 760 offers added comfort. A kitchenette incorporated in the leaning post includes a sink\*, hotplate\* and refrigerator\* that allow you to prepare meals on board. A space inside the console can accommodate a chemical toilet for additional comfort.

The fuel tank (300 litres) and fresh water tank (80 litres) provide sufficient capacity for a day's cruise.

*\*Optional*





# N-ZO 680



SPACIOUS AFT SALOON



RAISED CONSOLE



# N-ZO 600



NEW HULL

## N-ZO ADVANTAGES



- Optimal comfort when boating
- Exclusive design
- Optimized space on board
- Ergonomic design for ease of movement on board
- Raised console
- Spacious aft saloon
- Rapid and practical sundeck installation system

## equipment

### N-ZO 700 CABIN

#### HULL

- Deep V-shaped polyester hull
- Moulded anti-slip deck
- Fuel tank (300 litres)
- Water/fuel separator
- Self-draining cockpit when empty
- 2 automatic bilge pumps
- Water evacuation plug
- Anchor locker
- Electric windlass  
+ complete mooring facilities
- 1 bow ring
- 2 tow rings
- 2 (bow) cleats that can be built in
- 2 fixed (stern) cleats
- Wiring harness
- Navigation lights
- Fire extinguisher holder

#### TUBE

- Removable tube (2 half-tubes)
- Hypalon™-Neoprene™  
1670 decitex fabric
- Recessed valves
- 2 handrails
- Ultra-wide deflecting rubbing  
strake

#### DECK

- Upholstered back rests for aft  
saloon and leaning post
- Convertible picnic table/  
upholstered aft saloon sundeck
- Upholstered bow sunbathing kit
- Bowrail
- U-shaped aft saloon
- LED deck lighting
- Leaning post including sink unit  
with tap and electric pump,  
designed to take a refrigerator/  
stove
- Port stern boarding gate
- Telescopic and foldable bathing  
ladder

- Outdoor shower kit with  
freshwater tank (77L)

#### CABIN

- Upholstered cabin (seating and  
back rests)/ Room to seat 4/5  
people
- Internal moulding (for ease of  
maintenance)
- Sliding door (lockable)
- 3 storage lockers under seats  
+ equipment
- WC + sink water tank 43L
- 2 side portholes  
+ 1 deck hatch
- Interior lighting (4 spotlights)
- Mirror
- Cabin wooden steps

#### STEERING CONSOLE

- Wraparound windscreen
- Handrail
- Hydraulic steering
- Steering wheel

#### STANDARD EQUIPMENT

- Foot pump
- Pressure gauge
- Repair kit
- Owner's manual

#### OPTIONAL ACCESSORIES

- King size bed that sleeps  
two/ Cabin table
- Synthetic teak floor
- Ski mast
- Refrigerator
- Hotplate
- Bimini top
- Stereo system
- Protective awnings (console,  
bolster & aft saloon)

N-ZO 600  
N-ZO 680  
N-ZO 760

#### HULL

- V-shaped hull
- Moulded anti-slip deck
- Fibreglass bow moulding
- Fuel tank (130 L for the 600,  
240 L for the 680 and 300L  
for the 760)
- Anchor locker
- Large sealed bow storage locker
- Under console storage with  
seat (600 - 680)
- Sealed stern storage locker  
with seat
- Aft bathing platform
- Reboarding handle
- Aft saloon (seats to sides)
- Self-draining cockpit
- Electric bilge pump
- White light
- Portside-starboard lights (fixed)
- Engine well cover (600 - 680)
- 4 mooring cleats (bow and stern)

#### TUBE

- Removable buoyancy tubes
- Hypalon™-Neoprene™ 1670  
decitex fabric
- Recessed "Easy Push" valves
- Ultra-wide deflecting rubbing  
strake
- Fabric handles

#### DECK

- Bow upholstery
- Aft saloon and backrest  
upholstery
- Deck LED lights (680-760)
- Leaning post with 12V power  
supply designed to receive  
cooler (600-680)/refrigerator  
(760) and hotplate, equipped sink  
and audio system
- Small pull-out teak table on  
leaning post (600-680)
- Telescopic and foldable bathing  
ladder
- Ski mast roll-bar

### STEERING CONSOLE

#### N-ZO 600 & 680: Air Console

- Wraparound windscreen
- Handrail
- Hydraulic steering
- Steering wheel
- 12V supply socket

#### N-ZO 760: Console with inside space

- Wraparound windscreen
- Handrail
- Hydraulic steering
- Steering wheel
- 12V supply socket
- Door

#### OPTIONAL ACCESSORIES

- Compass
- GPS/depth sounder
- Electric windlass
- Bow anchor
- Freshwater kit:
  - Freshwater tank (40 litres for the  
600-680 and 80 litres for the 760)
  - Shower kit
  - Polyester equipped Sink
- "Reverse and Sun" System:  
Removable bow sunbathing kit  
+ fittings
- Aft saloon table (680-760)
- Bow saloon table (680-760)
- Removable aft sunbathing kit +  
fittings (760)
- Bimini top
- 28 litre electric cooler (600/680)
- Refrigerator (760)
- Chemical Toilet (760)
- Portable cooker
- Stereo system
- Synthetic teak deck
- Console awning, leaning  
post awning, mooring awning  
(600 - 680)

*\*To add to Aft salon table option (760)*



"REVERSE AND SUN" SUNBATHING SYSTEM

BIMINI TOP

	N- ZO 600	N- ZO 680	N- ZO 760	N- ZO 700 CABIN
<b>DIMENSIONS (metres - feet/inches)</b>				
Overall length	5,99 / 19'8"	6,8 / 22'4"	7,6 / 24'11"	6,99 / 22'11"
Inside length	5,03 / 16'6"	5,82 / 19'1"	6,38 / 20'11"	6,37 / 20'11"
Overall width	2,54 / 8'4"	2,54 / 8'4"	3,04 / 9'12"	3,21 / 10'6"
Inside width	1,30 / 4'3"	1,30 / 4'3"	1,70 / 5'7"	2,40 / 7'10"
Buoyancy tube diameter	0,60 / 2'0"	0,60 / 2'0"	0,65 / 2'2"	0,65 / 2'2"
<b>CAPACITY</b>				
Passengers (ISO C/B)	12	14	16/6*	12/7
Maximum payload <sup>1</sup> (kg - lbs) Cat C	1262 - 2782	1480 - 3263	-	2036 - 4489
Maximum payload <sup>1</sup> (kg - lbs) Cat B	-	-	-	1661 - 3662
Total weight (kg - lbs)	930 - 2050	1080 - 2381	-	1489 - 3283
Airtight compartments	6	6	6	6
<b>DESIGN CATEGORY</b>				
European directive N° 94/25/CE	C	C	C/B*	C/B
<b>OUTBOARD DATA</b>				
Shaft: ● Short ■ Long ✕ Extralong ✱ Ultralong	mono ✕	mono ✕	bi ✕      mono ✱	bi ✕      mono ✱
Minimum recommended power <sup>2</sup> (Hp/kW)	115 - 85	150 - 110	-	2 x 100 - 2 x 73,5      200 - 147
Maximum recommended power <sup>2</sup> (Hp/kW)	150 - 110	175 - 129	-	250 - 184*      250 - 184
Maximum power allowed <sup>3</sup> (Hp/kW)	150 - 110	200 - 147	2 x 150 - 2 x 110*	300 - 221*      300 - 221
Maximum weight of outboard <sup>4</sup> (kg - lbs)	234 - 516	300 - 662	234 - 516	393 - 867*      373 - 822
Maximum speed <sup>5</sup> (km/h - mph)	-	-	-	-
<b>HULL STORAGE DIMENSIONS (metres - feet/inches)</b>				
Length	5,75 / 18'10"	6,52 / 21'5"	7,05 / 23'2"	6,95 - 22'10"
Width	1,81 / 5'11"	1,8 / 5'11"	2,47 / 8'1"	2,40 - 7'10"
Height	2,07 / 6'9"	2,03 / 6'8"	2,23 / 7'4"	2,19 - 7'2"
Hull angle	22°	22°	22°	22,5°

\*Awaiting approval

Indicated measurements may vary by +/- 3%, or +/- 5% for weight and speed measurements. (1) Maximum permitted load is calculated using ISO standards. Caution is advised when operating fully laden boats. (2) Recommended power is based on optimal use of the boat's abilities under average load. Depending on use, choose either maximum (water skiing) or minimum power (fishing, cruising). (3) The manufacturer's plaque specifies maximum permitted power. The power of your boat must not exceed this under any circumstances. (4) Maximum permitted weight: dry weight, according to motor manufacturers' catalogue specifications. (5) Maximum speeds are intended as a guide only; they were measured in ideal conditions by professional pilots with one person aboard. They may vary according to make of motor, boat load, propeller type and water conditions. (6) Models in this catalogue are sometimes shown with optional accessories. Please check standard equipment supplied with each model. See your Zodiac® agent for more information. Zodiac® continually strives to improve its products and as such reserves the right to modify or delete any model presented in this catalogue without prior notice. The boats photographed in this catalogue may differ from the actual models. Zodiac® recommends that a life jacket is worn at all times; it is your own responsibility to check the legal obligations on your navigation zone.

\* 5 year warranty on tube fabric and 2 year warranty on hull and tube assembling. Some warranty extensions are available depending on product and geographical areas. For more information please contact your local dealer or visit [zodiacmarine.com](http://zodiacmarine.com).





For more information, visit

**[www.zodiacmarine.com](http://www.zodiacmarine.com)**

Zodiac® is a registered trade mark - Copyright© Zodiac® 2013