Safety Data Sheet T0031 SLOW DRYING RED BRUSH APPLIED TOPCOATS

	77			-	
		÷.			

Bulk Sales Reference No.: SDS Revision Date: SDS Revision Number: Sales Order: {SalesOrd} OT0031 07/22/2014 A0-5

1. Identification of the preparation and company					
1.1. Product identifier					
Product Identity	T0031 SLOW DRYING RED BRUSH APPLIED TOPCOATS				
Bulk Sales Reference No.	OT0031				
1.2. Relevant identified uses of the subs	tance or mixture and uses advised against				
Intended Use	See Technical Data Sheet.				
Application Method	See Technical Data Sheet.				
1.3. Details of the supplier of the safety of	data sheet				
Company Name	Akzo Nobel Coatings				
	International Paint LLC				
	6001 Antoine Drive				
	Houston, Texas 77091				
Emergency					
CHEMTREC (USA)	(800) 424-9300				
International Paint	(713) 527-3887				
Poison Control Center	(800) 854-6813				
Customer Service					
International Paint	(800) 589-1267				
Fax No.	(800) 631-7481				
2. H	lazard identification of the product				

2.1. Classification of the substance or mixture

Combustible Liquid;H227Combustible Liquid.Acute Tox. 4;H312Harmful in contact with skin.

2.2. Label elements

Using the Toxicity Data listed in section 11 & 12 the product is labelled as follows.



H227 Combustible liquid. H312 Harmful in contact with skin.

P210 Keep away from heat / sparks / open flames / hot surfaces - No smoking. P280 Wear protective gloves / eye protection / face protection. P302+352 IF ON SKIN: Wash with soap and water. P312 Call a POISON CENTER or doctor / physician if you feel unwell.

P363 Wash contaminated clothing before reuse.

P370+376 In case of fire: Stop leak if safe to do so.

P403+235 Store in a well ventilated place. Keep cool.

P501 Dispose of contents / container in accordance with local / national regulations.

HMIS Rating Health: 1* Flammability: 2	Reactivity: 0
--	---------------

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Ethylene glycol monobutyl ether acetate		Acute Tox. 4;H332 Acute Tox. 4;H312	[1][2]
CAS Number: 0000112-07-2			

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance.

*The full texts of the phrases are shown in Section 16.

4. First aid measures

4.1. Description of first aid measures

General	Remove contaminated clothing and shoes. Get medical attention immediately. Wash clothing before reuse. Thoroughly clean or destroy contaminated shoes.
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.
Eyes	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.
Skin	In case of contact, immediately flush skin with soap and plenty of water. Get medical attention immediately.
Ingestion	If swallowed, immediately contact Poison Control Center at 1-800-854-6813. DO NOT induce vomiting unless instructed to do so by medical personnel. Never give anything by mouth to an unconscious person.
4.2. Most important sy	mptoms and effects, both acute and delayed
Overview	NOTICE: Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal. Avoid contact with eyes, skin and clothing.
Inhalation	Harmful if inhaled. Causes nose and throat irritation. Vapors may affect the brain or nervous system causing dizziness, headache or nausea.
Eyes	Causes severe eye irritation. Avoid contact with eyes.
Skin	Causes skin irritation. May be harmful if absorbed through the skin.
Ingestion	Harmful if swallowed. May cause abdominal pain, nausea, vomiting, diarrhea, or drowsiness.
Chronic effects	

5.1. Extinguishing media

CAUTION: This product has a very low flashpoint. Use of water spray when fighting fire may be inefficient. SMALL FIRES: Use dry chemical, CO2, water spray or alcohol-resistant foam. LARGE FIRES: Use water spray, fog, or alcohol-resistant foam. Do not use straight streams. Move containers from fire area if you can do so without risk. Runoff from fire control may cause pollution. Dike fire control water for later disposal. Do not scatter the material.

5. Fire-fighting measures

5.2. Special hazards arising from the substance or mixture

May produce hazardous fumes when heated to decomposition as in welding. Fumes may produce Carbon Dioxide and Carbon Monoxide.

5.3. Advice for fire-fighters

Cool closed containers exposed to fire by spraying them with water. Do not allow run off water and contaminants from fire fighting to enter drains or water courses.

ERG Guide No.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

ELIMINATE ALL IGNITION SOURCES (no smoking, flares, sparks or flames in immediate area). Use only non-sparking equipment to handle spilled material and absorbent. Do not touch or walk through spilled material. Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas. A vapor suppressing foam may be used to reduce vapors. Absorb or cover with dry earth, sand, or other non-combustible material and transfer to containers. Use non-sparking tools to collect absorbed material.

6.2. Environmental precautions

Do not allow spills to enter drains or watercourses.

6.3. Methods and material for containment and cleaning up

CALL CHEMTREC at (800)-424-9300 for emergency response. Isolate spill or leak area immediately for at least 25 to 50 meters (80 to 160 feet) in all directions. Keep unauthorized personnel away. Stay upwind. Keep out of low areas. Ventilate closed spaces before entering. LARGE SPILLS: Consider initial downwind evacuation for at least 300 meters (1000 feet).

7. Handling and storage

7.1. Precautions for safe handling

Handling

Vapors may cause flash fire or ignite explosively.

In Storage Keep away from heat, sparks and flame.

7.2. Conditions for safe storage, including any incompatibilities

Store between 40-100F (4-38C).

Avoid contact with eyes, skin and clothing.

Strong oxidizing agents.

Do not smoke. Extinguish all flames and pilot lights, and turn off stoves, heaters, electric motors and other sources of ignition during use and until all vapors are gone.

7.3. Specific end use(s)

Close container after each use.

Wash thoroughly after handling.

Prevent build-up of vapors by opening all windows and doors to achieve cross-ventilation.

8. Exposure controls and personal protection

8.1. Control parameters

Exposure							
CAS No.	Ingredient	Source	Value				
0000112-07-2	Ethylene glycol monobutyl	OSHA					
	ether acetate	ACGIH	20 ppm TWA				
		NIOSH	5 ppm TWA; 33 mg/m3 TWA				
		Supplier					
		OHSA, CAN	20 ppm TWA				
		Mexico					
		Brazil					

Health Data					
CAS No. Ingredient Source Value					
0000112-07-2 Ethylene glycol monobutyl ether acetate		NIOSH	Adverse effects on blood and		
			hematopoietic system tissue irritation		

Carcinogen Data

CAS No.	Ingredient	Source	Value
0000112-07-2 Ethylene glycol		OSHA	Select Carcinogen: No
	monobutyl ether acetate		Known: No; Suspected: No
			Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

8.2. Exposure controls

Respiratory	Select equipment to provide protection from the ingredients listed in Section 3 of this document. Ensure fresh air entry during application and drying. If you experience eye watering, headache or dizziness or if air monitoring demonstrates dust, vapor, or mist levels are above applicable limits, wear an appropriate, properly fitted respirator (NIOSH approved) during and after application. Follow respirator manufacturer's directions for respirator use. FOR USERS OF 3M RESPIRATORY PROTECTION ONLY: For information and assistance on 3M occupational health and safety products, call OH&ESD Technical Service toll free in U.S.A. 1-800-243-4630, in Canada call 1-800-267-4414. Please do not contact these numbers regarding other manufacturer's respiratory protection products. 3M does not endorse the accuracy of the information contained in this Material Safety Data Sheet.
Eyes	Avoid contact with eyes. Protective equipment should be selected to provide protection from exposure to the chemicals listed in Section 3 of this document. Depending on the site-specific conditions of use, safety glasses, chemical goggles, and/or head and face protection may be required to prevent contact. The equipment must be thoroughly cleaned, or discarded after each use.
Skin	Protective equipment should be selected to provide protection from exposure to the chemicals listed in Section 3 of this document. Depending on the site-specific conditions of use, protective gloves, apron, boots, head and face protection may be required to prevent contact. The equipment must be thoroughly cleaned, or discarded after each use.
Engineering Controls	Depending on the site-specific conditions of use, provide adequate ventilation.
Other Work Practices	Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Use good personal hygiene practices. Wash hands before eating, drinking, using toilet facilities, etc. Promptly remove soiled clothing and wash clothing thoroughly before reuse. Shower after work using plenty of soap and water.

9. Physical and chemical properties					
Appearance	Colourless Liquid				
Odour threshold	Not Measured				
рН	No Established Limit				
Melting point / freezing point	Not Measured				
Initial boiling point and boiling range	186 (°C) 367 (°F)				
Flash Point	71 (°C) 160 (°F)				
Evaporation rate (Ether = 1)	Not Measured				
Flammability (solid, gas)	Not Applicable				
Upper/lower flammability or explosive limits	Lower Explosive Limit: .8				
	Upper Explosive Limit: No Established Limit				
vapor pressure (Pa)	Not Measured				
Vapor Density	Heavier than air				
Specific Gravity	0.94				
Partition coefficient n-octanol/water (Log Kow)	Not Measured				
Auto-ignition temperature	Not Measured				
Decomposition temperature	Not Measured				
Viscosity (cSt)	1				
VOC %	Refer to the Technical Data Sheet or label where information is available.				

10. Stability and reactivity

No data available

10.2. Chemical stability

This product is stable and hazardous polymerization will not occur. Not sensitive to mechanical impact.

Excessive heat and fumes generation can occur if improperly handled.

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

May produce hazardous fumes when heated to decomposition as in welding. Fumes may produce Carbon Dioxide and Carbon Monoxide.

11. Toxicological information

Acute toxicity

NOTICE: Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal.

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LD50, mg/L/4hr	Inhalation Dust/Mist LD50, mg/L/4hr
Ethylene glycol monobutyl ether acetate - (112-07-2)	2,400.00, Rat - Category: 5	1,500.00, Rabbit - Category: 4	No data available	No data available

Item	Category	Hazard
Acute Toxicity (mouth)	Not Classified	Not Applicable
Acute Toxicity (skin)	4	Harmful in contact with skin.
Acute Toxicity (inhalation)	Not Classified	Not Applicable
Skin corrosion/irritation	Not Classified	Not Applicable
Eye damage/irritation	Not Classified	Not Applicable
Sensitization (respiratory)	Not Classified	Not Applicable
Sensitization (skin)	Not Classified	Not Applicable
Germ toxicity	Not Classified	Not Applicable
Carcinogenicity	Not Classified	Not Applicable
Reproductive Toxicity	Not Classified	Not Applicable
Specific target organ systemic toxicity (single exposure)	Not Classified	Not Applicable
Specific target organ systemic Toxicity (repeated exposure)	Not Classified	Not Applicable
Aspiration hazard	Not Classified	Not Applicable

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish,	48 hr EC50 crustacea,	ErC50 algae,
	mg/l	mg/l	mg/l
Ethylene glycol monobutyl ether acetate - (112-07-2)	Not Available	Not Available	Not Available

12. Ecological information

12.2. Persistence and degradability
No data available
12.3. Bioaccumulative potential
Not Measured
12.4. Mobility in soil
No data available
12.5. Results of PBT and vPvB assessment
This product contains no PBT/vPvB chemicals.
12.6. Other adverse effects
No data available

13. Disposal considerations

13.1. Waste treatment methodsDo not allow spills to enter drains or watercourses.Dispose of in accordance with local, state and federal regulations. (Also reference RCRA information in Section 15 if listed).

14. Transport information						
14.1. UN number	Not Regulated	Not Regulated				
14.2. UN proper shipping na	ame Not Regulated					
14.3. Transport hazard class(es)						
DOT (Domestic Surface Transportation)		IMO / IMDG (Ocean Transportation)				
DOT Proper Shipping Name		IMDG Proper Shipping Name	Not Regulated			
DOT Hazard Class	Not Regulated	IMDG Hazard Class Sub Class	Not Regulated Not applicable			
UN / NA Number	Not Regulated					
DOT Packing Group	Not Regulated	IMDG Packing Group	Not Regulated			
CERCLA/DOT RQ	Not Applicable gal. / Not Applicable lbs.	System Reference Code	193			
14.4. Packing group Not Regulated 14.5. Environmental hazards IMDG IMDG Marine Pollutant: No						
Not Applicable						
14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not Applicable						
15. Regulatory information						
Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented. All ingredients of this product are listed on the TSCA (Toxic Substance Control Act) Inventory or are not required to be listed on the TSCA Inventory.						
WHMIS Classification B3						
DOT Marine Pollutants (10%): (No Product Ingredients Listed) DOT Severe Marine Pollutants (1%): (No Product Ingredients Listed) EPCRA 311/312 Chemicals and RQs (>.1%) : (No Product Ingredients Listed)						

EPCRA 302 Extremely Hazardous (>.1%) : (No Product Ingredients Listed) EPCRA 313 Toxic Chemicals (>.1%) : (No Product Ingredients Listed) Mass RTK Substances (>1%) : (No Product Ingredients Listed) Penn RTK Substances (>1%) : (No Product Ingredients Listed) Penn Special Hazardous Substances (>.01%) : (No Product Ingredients Listed) RCRA Status: (No Product Ingredients Listed) N.J. RTK Substances (>1%) : Ethylene glycol monobutyl ether acetate N.J. Special Hazardous Substances (>.01%) : (No Product Ingredients Listed) N.J. Env. Hazardous Substances (>.1%) : (No Product Ingredients Listed) Proposition 65 - Carcinogens (>0%): (No Product Ingredients Listed) Proposition 65 - Female Repro Toxins (>0%): (No Product Ingredients Listed) Proposition 65 - Male Repro Toxins (>0%): (No Product Ingredients Listed) Proposition 65 - Developmental Toxins (>0%): (No Product Ingredients Listed)

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H312 Harmful in contact with skin. H332 Harmful if inhaled.

This is the first revision of this SDS format, changes from previous revision not applicable.

End of Document