

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Revision Date: 08/18/2015 Date of issue: 08/18/2015 Version: 1.0

SECTION 1: IDENTIFICATION

Product Identifier Product Form: Mixture

Product Name: Mildew Stain Blocker

Product Code: 866XX

Intended Use of the Product

Protectant

Name, Address, and Telephone of the Responsible Party

Company Star brite Inc. 4041 SW 47th Avenue Fort Lauderdale, FL 33314 (954)587-6280

www.starbrite.com

Emergency Telephone Number

Emergency Number: US: (800) 424-9300; International: (703) 527-3887 (CHEMTREC)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

Classification (GHS-US)

Not classified. This product has no physical or health hazards.

Label Elements

GHS-US Labeling No labeling applicable

Other Hazards

Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions.

Unknown Acute Toxicity (GHS-US) Not available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

| Name | Product Identifier | % (w/w) | Classification (GHS-US) |
|--|---------------------|-----------|--|
| 1-Octadecanaminium, N,N-dimethyl-N-[3- | (CAS No) 27668-52-6 | 0.5 - < 1 | Skin Irrit. 2, H315 |
| (trimethoxysilyl)propyl]-, chloride | | | Eye Dam. 1, H318 |
| | | | Aquatic Acute 1, H400 |
| | | | Aquatic Chronic 1, H410 |
| Methyl alcohol | (CAS No) 67-56-1 | 0.1 - < 1 | Flam. Liq. 2, H225 |
| | | | Acute Tox. 3 (Oral), H301 |
| | | | Acute Tox. 3 (Dermal), H311 |
| | | | Acute Tox. 3 (Inhalation:vapour), H331 |
| | | | STOT SE 1, H370 |

Full text of H-phrases: see section 16

SECTION 4: FIRST AID MEASURES

Description of First Aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

08/18/2015 FRRTT.B-CC EN (English US) 1/9

^{*} A range of concentration as prescribed by Controlled Products Regulations has been used where necessary, due to varying composition. The specific chemical identity and/or exact percentage of composition has been withheld as a trade secret within the meaning of the OSHA Hazard Communication Standard [29 CFR 1910.1200]. In the event of an emergency, chemical identities and exact percentages of the proprietary ingredients may need to be disclosed to emergency personnel upon request.

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.

Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

Most Important Symptoms and Effects Both Acute and Delayed

General: Not expected to present a significant hazard under anticipated conditions of normal use.

Inhalation: Prolonged exposure may cause irritation. **Skin Contact:** Prolonged exposure may cause skin irritation.

Eye Contact: May cause slight irritation to eyes. **Ingestion:** Ingestion may cause adverse effects.

Chronic Symptoms: None known.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Water spray, dry chemical, foam, carbon dioxide (CO₂)

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but will burn at high temperatures.

Explosion Hazard: Product is not explosive. Risk of explosion if heated under confinement.

Reactivity: Hazardous reactions will not occur under normal conditions. Hazardous reactions may occur on contact with certain chemicals. Refer to incompatible materials.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire. Under fire conditions closed containers may rupture or explode.

Firefighting Instructions: Use water spray or fog for cooling exposed containers. Do not get water inside containers. Do not apply water stream directly at source of leak. Do not breathe fumes from fires or vapors from decomposition. Remove containers from fire area if this can be done without risk.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂). Nitrogen compounds. Hydrocarbons. Organic compounds.

Other Information: Do not allow run-off from fire fighting to enter drains or water courses.

Reference to Other Sections

Refer to section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid prolonged contact with eyes, skin and clothing. Avoid breathing (vapor, mist, spray).

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Absorb and/or contain spill with inert material. Transfer spilled material to a suitable container for disposal. If spilled directly onto the ground, remove sufficient soil to ensure material is fully recovered. Contact competent authorities after a spill.

08/18/2015 FRRTT.B-CC EN (English US) 2/9

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Reference to Other Sections

See Heading 8. Exposure controls and personal protection. See Section 13, Disposal Considerations.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Precautions for Safe Handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. Avoid breathing vapors, mist, and spray. Use appropriate personal protection equipment (PPE).

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool and well-ventilated place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials: Strong acids, strong bases, strong oxidizers. Reducing agents. Alkalis. Chlorates. Halogenated compounds. Nitrites. Sulfur compounds.

Specific End Use(s) Protectant

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

For substances listed in section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), NIOSH (REL), OSHA (PEL), Canadian provincial governments, or the Mexican government

| Methyl alcohol (67-56-1) | | |
|--------------------------|--------------------------|---|
| Mexico | OFI TWA (of / 3) | 260 «/3 |
| Mexico | OELTWA (mg/m³) | 260 mg/m ³ |
| | OELTWA (ppm) | 200 ppm |
| Mexico | OEL STEL (mg/m³) | 310 mg/m ³ |
| Mexico | OEL STEL (ppm) | 250 ppm |
| USA ACGIH | ACGIH TWA (ppm) | 200 ppm |
| USA ACGIH | ACGIH STEL (ppm) | 250 ppm |
| USA ACGIH | ACGIH chemical category | Skin - potential significant contribution to overall exposure |
| | | by the cutaneous route |
| USA OSHA | OSHA PEL (TWA) (mg/m³) | 260 mg/m ³ |
| USA OSHA | OSHA PEL (TWA) (ppm) | 200 ppm |
| USA NIOSH | NIOSH REL (TWA) (mg/m³) | 260 mg/m³ |
| USA NIOSH | NIOSH REL (TWA) (ppm) | 200 ppm |
| USA NIOSH | NIOSH REL (STEL) (mg/m³) | 325 mg/m ³ |
| USA NIOSH | NIOSH REL (STEL) (ppm) | 250 ppm |
| USA IDIH | US IDLH (ppm) | 6000 ppm |
| Alberta | OEL STEL (mg/m³) | 328 mg/m ³ |
| Alberta | OEL STEL (ppm) | 250 ppm |
| Alberta | OEL TWA (mg/m³) | 262 mg/m ³ |
| Alberta | OEL TWA (ppm) | 200 ppm |
| British Columbia | OEL STEL (ppm) | 250 ppm |
| British Columbia | OEL TWA (ppm) | 200 ppm |
| Manitoba | OEL STEL (ppm) | 250 ppm |
| Manitoba | OELTWA (ppm) | 200 ppm |
| New Brunswick | OEL STEL (mg/m³) | 328 mg/m ³ |
| New Brunswick | OEL STEL (ppm) | 250 ppm |
| New Brunswick | OEL TWA (mg/m³) | 262 mg/m³ |
| New Brunswick | OEL TWA (ppm) | 200 ppm |
| Newfoundland & Labrador | OEL STEL (ppm) | 250 ppm |
| Newfoundland & Labrador | OEL TWA (ppm) | 200 ppm |
| Nova Scotia | OEL STEL (ppm) | 250 ppm |
| | | |

08/18/2015 FRRTT.B-CC EN (English US) 3/9

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

| | 077 7774 / | |
|-----------------------|------------------|-----------------------|
| Nova Scotia | OELTWA (ppm) | 200 ppm |
| Nunavut | OEL STEL (mg/m³) | 328 mg/m ³ |
| Nunavut | OEL STEL (ppm) | 250 ppm |
| Nunavut | OEL TWA (mg/m³) | 262 mg/m ³ |
| Nunavut | OEL TWA (ppm) | 200 ppm |
| Northwest Territories | OEL STEL (mg/m³) | 328 mg/m³ |
| Northwest Territories | OEL STEL (ppm) | 250 ppm |
| Northwest Territories | OELTWA (mg/m³) | 262 mg/m³ |
| Northwest Territories | OEL TWA (ppm) | 200 ppm |
| Ontario | OEL STEL (ppm) | 250 ppm |
| Ontario | OEL TWA (ppm) | 200 ppm |
| Prince Edward Island | OEL STEL (ppm) | 250 ppm |
| Prince Edward Island | OELTWA (ppm) | 200 ppm |
| Québec | VECD (mg/m³) | 328 mg/m ³ |
| Québec | VECD (ppm) | 250 ppm |
| Québec | VEMP (mg/m³) | 262 mg/m ³ |
| Québec | VEMP (ppm) | 200 ppm |
| Saskatchewan | OEL STEL (ppm) | 250 ppm |
| Saskatchewan | OELTWA (ppm) | 200 ppm |
| Yukon | OEL STEL (mg/m³) | 310 mg/m ³ |
| Yukon | OEL STEL (ppm) | 250 ppm |
| Yukon | OELTWA (mg/m³) | 260 mg/m ³ |
| Yukon | OELTWA (ppm) | 200 ppm |

Exposure Controls

Appropriate Engineering Controls: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal Protective Equipment: Not generally required. The use of personal protective equipment may be necessary as conditions warrant. Protective goggles. Gloves. Protective clothing. Insufficient ventilation: wear respiratory protection.









Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear protective gloves. **Eye Protection:** Chemical safety goggles.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: In case of insufficient ventilation, wear suitable respiratory equipment.

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State: LiquidAppearance: ClearOdor: PleasantOdor Threshold: Not available

pH : 4.5

Evaporation Rate: Not availableMelting Point: Not availableFreezing Point: Not availableBoiling Point: > 100 °C (> 212 °F)Flash Point: > 100 °C (> 212 °F)

08/18/2015 FRRTT.B-CC EN (English US) 4/9

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Auto-ignition Temperature Not available **Decomposition Temperature** Not available Flammability (solid, gas) Not available **Lower Flammable Limit** Not available **Upper Flammable Limit** Not available **Vapor Pressure** Not available Relative Vapor Density at 20 °C Not available **Relative Density** Not available **Specific Gravity** 1 @ 20 °C **Solubility** Soluble in water.

Partition Coefficient: N-Octanol/Water : Not available
Viscosity : Not available

Explosion Data – Sensitivity to Mechanical Impact: Not expected to present an explosion hazard due to mechanical impact. **Explosion Data – Sensitivity to Static Discharge**: Not expected to present an explosion hazard due to static discharge.

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Hazardous reactions will not occur under normal conditions. Hazardous reactions may occur on contact with certain chemicals. Refer to incompatible materials.

Chemical Stability: Stable under recommended handling and storage conditions (see section 7).

<u>Possibility of Hazardous Reactions:</u> Hazardous polymerization will not occur.

Conditions to Avoid: Sources of ignition. Direct sunlight, extremely high or low temperatures, and incompatible materials.

<u>Incompatible Materials</u>: Strong acids, strong bases, strong oxidizers. Reducing agents. Alkalis. Chlorates. Halogenated compounds. Nitrites. Sulfur compounds.

<u>Hazardous Decomposition Products:</u> Carbon oxides (CO, CO₂). Nitrogen oxides. Hydrocarbons. Silicon oxides. Chlorine. Hydrogen chloride.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product

Acute Toxicity: Not classified ID50 and IC50 Data: Not available Skin Corrosion/Irritation: Not classified

pH: 4.5

Serious Eye Damage/Irritation: Not classified

pH: 4.5

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Teratogenicity: Not available **Carcinogenicity:** Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye Contact: May cause slight irritation to eyes. **Symptoms/Injuries After Ingestion:** Ingestion may cause adverse effects.

Chronic Symptoms: None known.

Information on Toxicological Effects - Ingredient(s)

ID50 and IC50 Data:

| 1-Octadecanaminium, N,N-dimethyl-N-[3-(trimethoxysilyl)propyl]-, chloride (27668-52-6) | |
|--|--------------|
| ID50 Oral Rat | > 5000 mg/kg |
| ID50 Dermal Rat | > 2000 mg/kg |

08/18/2015 FRRIT.B-CC EN (English US) 5/9

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

| Methyl alcohol (67-56-1) | |
|--------------------------|--------------------------------|
| ID50 Oral Rat | 6200 mg/kg |
| IC50 Inhalation Rat | 22500 ppm (Exposure time: 8 h) |
| ATE US (oral) | 100.00 mg/kg body weight |
| ATE US (dermal) | 300.00 mg/kg body weight |
| ATE US (vapors) | 3.00 mg/l/4h |

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

Ecology - **General:** Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

| 1-Octadecanaminium, N,N-dimethyl-N-[3-(trimethoxysilyl)propyl]-, chloride (27668-52-6) | | |
|--|--|--|
| IC50 Fish 1 | 1.73 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) | |
| EC50 Daphnia 1 | 0.18 mg/l (Daphnia) | |
| Methyl alcohol (67-56-1) | | |
| IC50 Fish 1 | 28200 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]) | |
| EC50 Daphnia 1 | 1340 mg/l | |
| IC 50 Fish 2 | > 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) | |

Persistence and Degradability

| Mildew Stain Blocker | |
|-------------------------------|---|
| Persistence and Degradability | May cause long-term adverse effects in the environment. |

Bioaccumulative Potential

| Mildew Stain Blocker | |
|---------------------------|------------------|
| Bioaccumulative Potential | Not established. |
| Methyl alcohol (67-56-1) | |
| BCF Fish 1 < 10 | |
| Log Pow | -0.77 |

Mobility in Soil Not available

Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations

Additional Information: Container may remain hazardous when empty. Continue to observe all precautions.

Ecology – **Waste Materials:** Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: TRANSPORT INFORMATION

In Accordance With ICAO/IATA/DOT/TDG/IMDG

UN Number Not regulated for transport

UN Proper Shipping Name Transport Hazard Class(es)Not regulated for transport

Additional Information Not available

Transport by sea Not regulated for transport

Marine Pollutant No

Air transport Not regulated for transport

SECTION 15: REGULATORY INFORMATION

US Federal Regulations

| 1.Octadocanaminium | n. N.N-dimethyl-N-[3-(trimethoxysilyl) | nmnyll_ chlorida (27668-52-6) |
|--------------------|--|-------------------------------|
| | | |

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Methyl alcohol (67-56-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on United States SARA Section 313

08/18/2015 FRRTT.B-CC EN (English US) 6/9

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

| SARA Section 311/312 Hazard Classes | Delayed (chronic) health hazard | |
|---------------------------------------|---------------------------------|--|
| | Immediate (acute) health hazard | |
| | Fire hazard | |
| SARA Section 313 - Emission Reporting | 1.0 % | |

US State Regulations

| Methyl alcohol (67-56-1) | |
|--|---|
| U.S California - Proposition 65 - Developmental Toxicity | WARNING: This product contains chemicals known to the State of California to cause birth defects. |

Methyl alcohol (67-56-1)

- U.S. California Proposition 65 Maximum Allowable Dose Levels (MADL)
- U.S. California SCAQMD Toxic Air Contaminants Non-Cancer Acute
- U.S. California SCAQMD Toxic Air Contaminants Non-Cancer Chronic
- U.S. California Toxic Air Contaminant List (AB 1807, AB 2728)
- U.S. Colorado Hazardous Wastes Discarded Chemical Products, Off-Specification Species, Container and Spill Residues
- U.S. Connecticut Hazardous Air Pollutants HLVs (30 min)
- U.S. Connecticut Hazardous Air Pollutants HLVs (8 hr)
- **U.S. Connecticut Volatile Substances**
- U.S. Delaware Pollutant Discharge Requirements Reportable Quantities
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Acceptable Ambient Concentrations
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Emission Levels (ELs)
- U.S. Idaho Occupational Exposure Limits TWAs
- **U.S. Illinois Toxic Air Contaminants**
- U.S. Louisiana Reportable Quantity List for Pollutants
- U.S. Maine Air Pollutants Hazardous Air Pollutants
- U.S. Maine Chemicals of High Concern
- U.S. Massachusetts Allowable Ambient Limits (AALs)
- **U.S. Massachusetts Allowable Threshold Concentrations (ATCs)**
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 2
- U.S. Massachusetts Oil & Hazardous Material List Reportable Quantity
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 2
- RTK U.S. Massachusetts Right To Know List
- U.S. Massachusetts Threshold Effects Exposure Limits (TELs)
- U.S. Massachusetts Toxics Use Reduction Act
- U.S. Michigan Occupational Exposure Limits Skin Designations
- U.S. Michigan Occupational Exposure Limits STELs
- U.S. Michigan Occupational Exposure Limits TWAs
- U.S. Michigan Polluting Materials List
- U.S. Minnesota Chemicals of High Concern
- U.S. Minnesota Groundwater Health Risk Limits
- U.S. Minnesota Hazardous Substance List
- U.S. Minnesota Permissible Exposure Limits Skin Designations
- U.S. Minnesota Permissible Exposure Limits STELs
- U.S. Minnesota Permissible Exposure Limits TWAs
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) 24-Hour
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) Annual
- U.S. New Jersey Discharge Prevention List of Hazardous Substances
- U.S. New Jersey Environmental Hazardous Substances List
- RTK U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New Jersey Special Health Hazards Substances List
- U.S. New Jersey Water Quality Ground Water Quality Criteria
- U.S. New Jersey Water Quality Practical Quantitation Levels (PQLs)

08/18/2015 FRRTT.B-CC EN (English US) 7/9

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

- U.S. New York Occupational Exposure Limits Skin Designations
- U.S. New York Occupational Exposure Limits TWAs
- U.S. New York Reporting of Releases Part 597 List of Hazardous Substances
- U.S. North Dakota Air Pollutants Guideline Concentrations 1-Hour
- U.S. North Dakota Air Pollutants Guideline Concentrations 8-Hour
- U.S. North Dakota Hazardous Wastes Discarded Chemical Products, Off-Specification Species, Container and Spill Residues
- U.S. Oregon Permissible Exposure Limits TWAs
- U.S. California Safer Consumer Products Initial List of Candidate Chemicals and Chemical Groups
- RTK U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- RTK U.S. Pennsylvania RTK (Right to Know) List
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels 1-Hour
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels Annual
- U.S. South Carolina Toxic Air Pollutants Maximum Allowable Concentrations
- U.S. South Carolina Toxic Air Pollutants Pollutant Categories
- U.S. Tennessee Occupational Exposure Limits Skin Designations
- U.S. Tennessee Occupational Exposure Limits STELs
- U.S. Tennessee Occupational Exposure Limits TWAs
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term
- **U.S.** Vermont Permissible Exposure Limits Skin Designations
- **U.S. Vermont Permissible Exposure Limits STELs**
- **U.S. Vermont Permissible Exposure Limits TWAs**
- U.S. Washington Dangerous Waste Discarded Chemical Products List
- U.S. Washington Permissible Exposure Limits Skin Designations
- U.S. Washington Permissible Exposure Limits STELs
- U.S. Washington Permissible Exposure Limits TWAs

Canadian Regulations

| Mildew Stain Blocker | | |
|---|---|--|
| WHMIS Classification | Uncontrolled product according to WHMIS classification criteria | |
| 1-Octadecanaminium, N,N-di | methyl-N-[3-(trimethoxysilyl)propyl]-, chloride (27668-52-6) | |
| Listed on the Canadian DSL (D | omestic Substances List) | |
| WHMIS Classification | Class D Division 2 Subdivision B - Toxic material causing other toxic effects | |
| Methyl alcohol (67-56-1) | | |
| Listed on the Canadian DSL (Domestic Substances List) | | |
| Listed on the Canadian IDL (Ingredient Disclosure List) | | |
| IDL Concentration 1 % | | |
| WHMIS Classification | Class B Division 2 - Flammable Liquid | |
| | Class D Division 1 Subdivision B - Toxic material causing immediate and serious toxic effects | |
| | Class D Division 2 Subdivision A - Very toxic material causing other toxic effects | |

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision Date : 08/18/2015

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA

Hazard Communication Standard 29 CFR 1910.1200.

GHS Full Text Phrases:

| Acute Tox. 3 (Dermal) | Acute toxicity (dermal) Category 3 |
|---------------------------------|--|
| Acute Tox. 3 (Inhalation:vapor) | Acute toxicity (inhalation:vapor) Category 3 |
| Acute Tox. 3 (Oral) | Acute toxicity (oral) Category 3 |
| Aquatic Acute 1 | Hazardous to the aquatic environment - Acute Hazard Category 1 |
| Aquatic Acute 3 | Hazardous to the aquatic environment - Acute Hazard Category 3 |

08/18/2015 FRRTT.B-CC EN (English US) 8/9

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

| Aquatic Chronic 1 | Hazardous to the aquatic environment - Chronic Hazard Category 1 |
|-------------------|--|
| Aquatic Chronic 3 | Hazardous to the aquatic environment - Chronic Hazard Category 3 |
| Eye Dam. 1 | Serious eye damage/eye irritation Category 1 |
| Flam. Liq. 2 | Flammable liquids Category 2 |
| Skin Irrit. 2 | Skin corrosion/irritation Category 2 |
| STOT SE 1 | Specific target organ toxicity (single exposure) Category 1 |
| H225 | Highly flammable liquid and vapor |
| H301 | Toxic if swallowed |
| H311 | Toxic in contact with skin |
| H315 | Causes skin irritation |
| H318 | Causes serious eye damage |
| Н331 | Toxic if inhaled |
| H370 | Causes damage to organs |
| H400 | Very toxic to aquatic life |
| H402 | Harmful to aquatic life |
| H410 | Very toxic to aquatic life with long lasting effects |
| H412 | Harmful to aquatic life with long lasting effects |
| | |


NFPA Health Hazard : 1 - Exposure could cause irritation but only minor residual

injury even if no treatment is given.

NFPA Fire Hazard : 1 - Must be preheated before ignition can occur.

NFPA Reactivity : 0 - Normally stable, even under fire exposure conditions,

and are not reactive with water.



Party Responsible for the Preparation of This Document

Starbrite®

Phone Number: (954)587-6280

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

NA GHS SDS

08/18/2015 FRRTT.B-CC EN (English US) 9/9