

Safety Data Sheet dated 21/1/2022, version 6 SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Mixture identification: Trade name: TEAK WONDER CLEANER Trade code: TWCL 1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use: Teak cleaner - FOR LEISURE CRAFTS ONLY Uses advised against: All uses not listed in the recomended uses 1.3. Details of the supplier of the safety data sheet Company: BARKA s.r.l. Strada Padana Superiore, 256/266 - 20055 Vimodrone - MI - ITALIA Tel. (+39) 02 27408033 - Fax (+39) 02 2504072 Competent person responsible for the safety data sheet: info@barka.it 1.4. Emergency telephone number: Austria +43 1 31304 5620, Belgium +32022649636, Bulgaria +359 2 9154 409, Croatia +38514686910, Cyprus +3572240561, Czech Republic +420267082257, Denmark +45 72 54 40 00, Estonia +3726943384, Finland +358 5052 000, France +33 3 85 21 92, Germany +49-30-18412-0, Greece +302106479250, Hungary +34 (1) 476 1136, Ireland +35318092566, Italy +390649906140, Latvia +371 67032600, Lithuania +370 70662008, Luxembourg +352 24785551, Netherland +31 88 75 585 61, Norway +47 21 07 70 00, Poland +48 42 2530 400, Portugal +351213303271, Romania +40213183606, Slovakia +421 2 5465 2307, Slovenia +38614006039, Spain +34 917689800, Sweden +46104566750, United Kingdom (England or Wales) 0845 46 47 or Scotland 08454 24 24 (UK only). **SECTION 2: Hazards identification** 2.1. Classification of the substance or mixture EC regulation criteria 1272/2008 (CLP) $\langle \rangle$

Warning, Met. Corr. 1, May be corrosive to metals.

Danger, Skin Corr. 1A, Causes severe skin burns and eye damage.

Danger, Eye Dam. 1, Causes serious eye damage.

Adverse physicochemical, human health and environmental effects: No other hazards 2.2. Label elements

Hazard pictograms:



Danger Hazard statements:

TWCL/6 Page n. 1 of 11

	e corrosive to metals.		
	s severe skin burns and e	eye damage.	
Precautionary state			
		e product container or label at hand.	
	out of reach of children.		
	carefully and follow all instr		
		e clothing/eye protection/face protection.	
		Rinse mouth. Do NOT induce vomiting.	
		 r): Take off immediately all contaminated clothing. 	
	ith water [or shower].		
		cautiously with water for several minutes. Remove	е
	es, if present and easy to c		
	liately call a POISON CEN	ITER/doctor/	
P405 Store l			
		er in accordance with all local, regional, national a	and
international			
Special Provisions:			
		by a safety lock for children.	
	packing must have tactive	e indications of danger for blind people.	
Contains			
disodium me	tasilicate		
Product contents:			
Non-ionic surfactar	its	< 5 %	
The product also co	ontains:		
Allergens:			
Preservatives:		ethylene diamine tetraacetate	
Special provisions a None	according to Annex XVII o	of REACH and subsequent amendments:	
2.3. Other hazards			
	nces: None - PBT Substa	inces: None	
Other Hazards:			
No other haz	ards		
SECTION 3: Composi	tion/information on ing	gredients	
		-	

- 3.1. Substances
- N.A.
- 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification: 3% - 5% 1-methoxy-2-propanol; monopropylene glycol methyl ether


Index number: 603-064-00-3, CAS: 107-98-2, EC: 203-539-1

2.6/3 Flam. Liq. 3 H226



3% - 5% disodium metasilicate

CAS: 10213-79-3, EC: 229-912-9





3.2/1B Skin Corr. 1B H314

3.8/3 STOT SE 3 H335

TWCL/6 Page n. 2 of 11

SECTION 4: First aid measures

	4.1. Description of first aid measures
	In case of skin contact:
	Immediately take off all contaminated clothing.
	OBTAIN IMMEDIATE MEDICAL ATTENTION.
	Remove contaminated clothing immediatley and dispose off safely.
	After contact with skin, wash immediately with soap and plenty of water.
	In case of eyes contact:
	After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.
	Protect uninjured eye.
	In case of Ingestion:
	Do NOT induce vomiting.
	In case of Inhalation:
	Remove casualty to fresh air and keep warm and at rest.
	4.2. Most important symptoms and effects, both acute and delayed None
	 4.3. Indication of any immediate medical attention and special treatment needed In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Treatment: None
SEC	CTION 5: Firefighting measures
020	5.1. Extinguishing media
	Suitable extinguishing media:
	Water.
	Carbon dioxide (CO2).
	Extinguishing media which must not be used for safety reasons:
	None in particular.
	5.2. Special hazards arising from the substance or mixture

5.2. Special hazards arising from the substance or mixture Do not inhale explosion and combustion gases. Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus . Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures Wear personal protection equipment.
 - Remove persons to safety.
 - See protective measures under point 7 and 8.
- 6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Suitable material for taking up: absorbing material, organic, sand

- 6.3. Methods and material for containment and cleaning up Wash with plenty of water.
- 6.4. Reference to other sections See also section 8 and 13

TWCL/6 Page n. 3 of 11

SECTION 7: Handling and storage
7.1. Precautions for safe handling
Avoid contact with skin and eyes, inhalation of vapours and mists.
Don't use empty container before they have been cleaned.
Before making transfer operations, assure that there aren't any incompatible material
residuals in the containers.
Contamined clothing should be changed before entering eating areas.
Do not eat or drink while working.
See also section 8 for recommended protective equipment.
7.2. Conditions for safe storage, including any incompatibilities
Keep away from food, drink and feed.
Incompatible materials: None in particular.
Instructions as regards storage premises:
Adequately ventilated premises.
7.3. Specific end use(s)
None in particular
•
SECTION 8: Exposure controls/personal protection
8.1. Control parameters
1-methoxy-2-propanol; monopropylene glycol methyl ether - CAS: 107-98-2
VL - TWA(8h): 375 mg/m3, 100 ppm - STEL: 568 mg/m3, 150 ppm - Notes: Skin;
2000/39/EC
EU - TWA(8h): 375 mg/m3, 100 ppm - STEL(): 568 mg/m3, 150 ppm - Notes: Skin
ACGIH - TWA(8h): 50 ppm - STEL: 100 ppm - Notes: A4 - Eye and URT irr
disodium metasilicate - CAS: 10213-79-3
OEL - TWA: 3 mg/m3 - STEL: 10 mg/m3 - Notes: TRGS 900
DNEL Exposure Limit Values 1-methoxy-2-propanol; monopropylene glycol methyl ether - CAS: 107-98-2
Worker Professional: 369 mg/m3 - Consumer: 43.9 mg/m3 - Exposure: Human
Inhalation - Frequency: Long Term, systemic effects - Notes: ECHA
Worker Professional: 553.5 mg/m3 - Exposure: Human Inhalation - Frequency: Short
Term, systemic effects - Notes: ECHA
Worker Professional: 553.5 mg/m3 - Exposure: Human Inhalation - Frequency: Short
Term, local effects - Notes: ECHA
Worker Professional: 183 mg/kg bw/day - Consumer: 78 mg/kg bw/day - Exposure:
Human Dermal - Frequency: Long Term, systemic effects - Notes: ECHA
Consumer: 33 mg/kg bw/day - Exposure: Human Oral - Frequency: Long Term,
systemic effects - Notes: ECHA
PNEC Exposure Limit Values
1-methoxy-2-propanol; monopropylene glycol methyl ether - CAS: 107-98-2
Target: Fresh Water - Value: 10 mg/l - Notes: ECHA Target: Marine water - Value: 1 mg/l - Notes: ECHA
Target: Discontinuous use/release - Value: 100 mg/l - Notes: ECHA
Target: Microorganisms in sewage treatments - Value: 100 mg/l - Notes: ECHA
Target: Marine water sediments - Value: 5.2 mg/kg dw - Notes: ECHA
Target: Freshwater sediments - Value: 52.3 mg/kg dw - Notes: ECHA
Target: Soil (agricultural) - Value: 4.59 mg/kg dw - Notes: ECHA
Target: Air - Value: 100 mg/l
8.2. Exposure controls
Eye protection:
Use close fitting safety goggles, don't use eye lens.
Protection for skin:

TWCL/6 Page n. 4 of 11

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

Environmental exposure controls:

Appropriate engineering controls: None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes
Appearance and colour:	Low viscosity fluid		
Odour:	Characteristic		
Odour threshold:	N.A.		
pH:	13		
Melting point / freezing point:	N.A.		
Initial boiling point and boiling range:	100 °C		
Flash point:	N.A.		
Evaporation rate:	N.A.		
Solid/gas flammability:	N.A.		
Upper/lower flammability or explosive limits:	N.A.		
Vapour pressure:	N.A.		
Vapour density:	N.A.		
Relative density:	1.02 (20°C)		
Solubility in water:	100%		
Solubility in oil:	N.A.		
Partition coefficient (n-octanol/water):	N.A.		
Auto-ignition temperature:	N.A.		
Decomposition temperature:	N.A.		
Viscosity:	N.A.		
Explosive properties:	N.A.		
Oxidizing properties:	N.A.		

9.2. Other information

Properties	Value	Method:	Notes
Miscibility:	N.A.		
Fat Solubility:	N.A.		

Conductivity:	N.A.			٦
Substance Groups	N.A.			
relevant properties	N.A.			
relevant properties				
SECTION 10: Stability and ra	ootivity			
SECTION 10: Stability and re	activity			
10.1. Reactivity				
Stable under normal	conditions			
10.2. Chemical stability				
Stable under normal				
10.3. Possibility of hazardou				
	mable gases or	n contact with	halogenated organic substances, and	b
elementary metals.				
10.4. Conditions to avoid				
Stable under normal				
10.5. Incompatible material	S			
None in particular.				
10.6. Hazardous decompos	ition products			
None.				
SECTION 11: Toxicological in				
11.1. Information on toxicol				
Toxicological information of				
TEAK WONDER CLE	EANER			
a) acute toxicity				
Not classified				
		classification	criteria are not met	
b) skin corrosion/irrita				
	classified: Skin	n Corr. 1A H3	14	
c) serious eye damag				
The product is	classified: Eye	Dam. 1 H31	8	
d) respiratory or skin	sensitisation			
Not classified				
Based on avail	able data, the o	classification	criteria are not met	
e) germ cell mutagen	icity			
Not classified				
Based on avail	able data, the o	classification	criteria are not met	
f) carcinogenicity				
Not classified				
Based on avail	able data, the o	classification	criteria are not met	
g) reproductive toxici	ty			
Not classified	,			
	able data. the o	classification	criteria are not met	
h) STOT-single expos	,			
Not classified				
	able data the d	classification	criteria are not met	
i) STOT-repeated exp				
Not classified				
	able data the d	classification	criteria are not met	
j) aspiration hazard		sassingation		
Not classified				
	able data the	alaccification	critoria aro not mot	
			criteria are not met	
Toxicological information of				
i-methoxy-2-propand	л, попоргорује	me giycoi me	ethyl ether - CAS: 107-98-2	

TWCL/6 Page n. 6 of 11

	a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat = 4016 mg/kg bw - Source: EC 440/2008, B.1 -
	Notes: ECHA
	Test: LC50 - Route: Inhalation - Species: Rat = 31.59 mg/l - Duration: 4h
	Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg bw - Source: EC 440/2008, B.3 -
	Notes: ECHA Test: LC50 - Route: Inhalation - Species: Rat > 7000 ppm - Duration: 6h
	b) skin corrosion/irritation:
	Test: Skin Irritant - Route: Skin - Species: Rabbit Negative - Source: EC 440/2008, B.4 - Notes: ECHA
	c) serious eye damage/irritation:
	Test: Eye Irritant - Route: VIEW - Species: Rabbit Negative - Source: 2004/73/EEC, B.5 - Notes: ECHA
	d) respiratory or skin sensitisation:
	Test: Skin Sensitization - Route: Skin - Species: Guinea Pig Negative - Source: 440/2008/EC B.6 - Notes: ECHA
	f) carcinogenicity:
	Test: NOAEC - Route: Inhalation - Species: Mouse = 3000 ppm
	g) reproductive toxicity:
	Test: NOAEL - Route: Inhalation - Species: Rat = 300 ppm
	disodium metasilicate - CAS: 10213-79-3
	a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat = 1152-1349 mg/kg
	Test: LC50 - Route: Inhalation - Species: Rat > 2.06 g/m3
	Test: LD50 - Route: Skin - Species: Rat > 5000 mg/kg
	b) skin corrosion/irritation:
	Test: Skin Corrosive - Route: Skin Positive
	c) serious eye damage/irritation:
	Test: Eye Corrosive Positive
	h) STOT-single exposure:
	Test: Respiratory Tract Irritant - Route: Inhalation Positive
SECTION	12: Ecological information
10.1	Toxicity

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. TEAK WONDER CLEANER Not classified for environmental hazards Based on available data, the classification criteria are not met 1-methoxy-2-propanol; monopropylene glycol methyl ether - CAS: 107-98-2 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Leuciscus idus = 6812 mg/l - Duration h: 96 - Notes: DIN 38412 Endpoint: EC50 - Species: Daphnia magna = 23300 mg/l - Duration h: 48 Endpoint: EC50 - Species: Pseudokirchneriella subcapitata > 1000 mg/l - Duration h: 168 Endpoint: IC50 - Species: activated mud, domestic > 1000 mg/l - Duration h: 3 Endpoint: EC50 - Species: Pimephales promelas = 20800 mg/l - Duration h: 96 Endpoint: EC50 - Species: Selenastrum Capricornutum > 1000 mg/l - Duration h: 168 Endpoint: LC50 - Species: Onchorhynchus mykiss > 1000 mg/l disodium metasilicate - CAS: 10213-79-3 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Brachydanio rerio = 210 mg/l - Duration h: 96

TWCL/6 Page n. 7 of 11

	s: Daphnia magna = 1700 mg/l - Duration h: 48
e) Plant toxicity:	
• •	s: Scenedesmus subspicatus = 207 mg/l - Duration h: 72 -
Notes: Biomass	
	s: Scenedesmus subspicatus > 345.4 mg/l - Duration h: 72 -
Notes: growth rate	
12.2. Persistence and degradability	
	opylene glycol methyl ether - CAS: 107-98-2
	biodegradable - Test: Solubility in water - Duration h: N.A
%: 1000-10000 - Notes:	
	st: N.A.Duration h: 28d - %: 96 - Notes: OECD 301 E
disodium metasilicate - CAS: 1	
• •	adily biodegradable - Test: N.A Duration h: N.A %: N.A
Notes: N.A.	
12.3. Bioaccumulative potential	
	opylene glycol methyl ether - CAS: 107-98-2
	accumulative - Test: LogPow 0.37 - Duration h: N.A Notes:
(20 °C) OECD TG 117	
disodium metasilicate - CAS: 1	
	baccumulative - Test: N.A. N.A Duration h: N.A Notes: N.A.
12.4. Mobility in soil	
	opylene glycol methyl ether - CAS: 107-98-2
	Γest: N.A. N.A Duration h: N.A Notes: N.A.
12.5. Results of PBT and vPvB asses	
vPvB Substances: None - PBT	Substances: None
12.6. Other adverse effects	
None	
SECTION 13: Disposal consideration	δ
13.1. Waste treatment methods	
	uthorised disposal plants or for incineration under controlled
	with the local and national regulations currently in force.
SECTION 14: Transport information	
14.1. UN number	
ADR-UN number:	3266
IATA-Un number:	3266
IMDG-Un number:	3266

14.2. UN proper shipping name CORROSIVE LIQUID, BASIC, INORGANIC. N.O.S. ADR-Shipping Name: (DISODIUM METASILICATE) IATA-Technical name: CORROSIVE LIQUID, BASIC, INORGANIC. N.O.S. (DISODIUM METASILICATE) IMDG-Technical name: CORROSIVE LIQUID, BASIĆ, INORGANIC. N.O.S. (DISODIUM METASILICATE) 14.3. Transport hazard class(es) ADR-Class: 8 ADR-Label: 8/80 IATA-Class: 8 8/80 IATA-Label: IMDG-Class: 8 Special provisions: Limited quantities LQ 5 I

TWCL/6 Page n. 8 of 11

14.4. Packing group	
ADR-Packing Group:	III
IATA-Packing group:	III
IMDG-Packing group:	III
14.5. Environmental hazards	
Marine pollutant:	No
14.6. Special precautions for user	
ADR-Transport category (Tunn	el restriction code): E
IATA-Passenger Aircraft:	852
IATA-Cargo Aircraft:	856
IMDG-Technical name:	CORROSIVE LIQUID, BASIC, INORGANIC. N.O.S.
	(DISODIUM METASILICATE)
IMDG-EMS:	F-A, S-B
14.7. Transport in bulk according to A	nnex II of Marpol and the IBC Code
N.A.	

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) 2015/830 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: **Restriction 3 Restriction 40** Restrictions related to the substances contained: **Restriction 30 Restriction 75** Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive) Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 None

15.2. Chemical safety assessment No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Full text of phrases referred to in Section 3: H226 Flammable liquid and vapour.

TWCL/6 Page n. 9 of 11

H336 May cause drowsiness or dizziness.H290 May be corrosive to metals.H314 Causes severe skin burns and eye damage.H335 May cause respiratory irritation.

Hazard class and hazard category	Code	Description
Met. Corr. 1	2.16/1	Substance or mixture corrosive to metals, Category 1
Flam. Liq. 3	2.6/3	Flammable liquid, Category 3
Skin Corr. 1A	3.2/1A	Skin corrosion, Category 1A
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
STOT SE 3	3.8/3	Specific target organ toxicity - single exposure, Category 3

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Met. Corr. 1, H290	On basis of test data
Skin Corr. 1A, H314	Calculation method
Eye Dam. 1, H318	Calculation method

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical
CLP:	Society). Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).

TWCL/6 Page n. 10 of 11

IMDG: INCI:	International Maritime Code for Dangerous Goods. International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.

TWCL/6 Page n. 11 of 11