

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 5/9/2022

SECTION 1: Identification	
1.1. Identification	
Product form Product name	: Mixture : Barnacle Buster®
1.2. Recommended use and restrictions of	on use
Recommended use	: Ready to use solution. Barnacle Buster® should be used as a marine descaler and marine growth remover, Use according to manufacturer's directions.
Restrictions on use	: None known
1.3. Supplier	
Supplier Trac Ecological 3400 SW 26th Terrace, Unit A03 Dania Beach, FL 33312 USA T (954) 987-2722 info@trac-online.com - www.trac-online.com	
1.4. Emergency telephone number	
Emergency number	: +1-800-255-3924
2.1. Classification of the substance or mit GHS US classification Corrosive to metals Category 1 Skin corrosion/irritation Category 1 Serious eye damage Category 1 Full text of H statements : see section 16	H290 May be corrosive to metals H314 Causes severe skin burns and eye damage H318 Causes serious eye damage
2.2. GHS Label elements, including preca	utionary statements
GHS US labeling	
Hazard pictograms (GHS US) Signal word (GHS US) Hazard statements (GHS US) Precautionary statements (GHS US)	: Danger : H290 - May be corrosive to metals H314 - Causes severe skin burns and eye damage : P234 - Keep only in original container. P260 - Do not broathe mist vapore
	 P260 - Do not breathe mist, vapors. P264 - Wash hands, forearms and face thoroughly after handling. P280 - Wear eye protection, protective gloves, protective clothing, face protection. P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor/physician. P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
5/9/2022 (Issue date)	EN (English US) 1/1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P310 - Immediately call a POISON CENTER or doctor/physician.
P363 - Wash contaminated clothing before reuse.
P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.
P310 - Immediately call a POISON CENTER or doctor/physician.
P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting.
P310 - Immediately call a POISON CENTER or doctor/physician.
P3030 - Absorb spillage to prevent material-damage.
P405 - Store locked up.
P406 - Store in corrosive resistant container with a resistant inner liner.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3	.2.	N	Λ	ix	tu	Ir	e	S

Name	Product identifier	%
Phosphoric acid	CAS-No.: 7664-38-2	10 – 30
Triethanolamine	CAS-No.: 102-71-6	1 – 5

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a physician immediately.
First-aid measures after skin contact	: Remove/Take off immediately all contaminated clothing. Immediately flush skin with plenty of water for at least 30 minutes. Get immediate medical advice/attention.
First-aid measures after eye contact	: Immediately flush eyes thoroughly with water for at least 20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately.
4.2. Most important symptoms and effects	s (acute and delayed)
Symptoms/effects	: Causes eye and skin burns. Severe corrosion to the respiratory tract at high concentrations. May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.
Inhalation	: Corrosive to the respiratory tract. May cause irritation to the respiratory tract, sneezing, coughing, burning sensation of throat with constricting sensation of the larynx and difficulty in breathing.
Skin	: Causes severe burns.
Eyes	: Causes serious eye burns. Serious damage to eyes.
Ingestion	: Burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.
Chronic symptoms	: None known.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.3. Immediate medical attention and special treatment, if necessary

Get immediate medical attention.

SECTION 5: Fire-fighting measures			
5.1. Suitable (and unsuitable) extinguishing	g media		
Suitable extinguishing media Unsuitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.: None.		
5.2. Specific hazards arising from the chem	nical		
Fire hazard Hazardous decomposition products in case of fire	 This product is not classified as flammable or combustible. Carbon oxides (CO, CO2). Nitrogen oxides. Phosphorus oxides. Toxic fumes may be released. 		
5.3. Special protective equipment and prec	autions for fire-fighters		
Firefighting instructions	: Cool down the containers exposed to heat with a water spray. Fight fire from safe distance and protected location.		
Protection during firefighting	: Use self-contained breathing apparatus and chemically protective clothing. Do not attempt to take action without suitable protective equipment.		

SECTION 6: Accidental release measures	S
6.1. Personal precautions, protective equipm	ent and emergency procedures
General measures :	Stop leak if safe to do so. Do not touch or walk on the spilled product. Do not get in eyes, on skin, or on clothing. Wear suitable protective clothing. Do not breathe vapors. Ventilate spillage area.
6.1.1. For non-emergency personnel	
Emergency procedures :	Avoid contact with skin and eyes. Do not breathe vapors.
6.1.2. For emergency responders	
Protective equipment :	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containment an	nd cleaning up
Methods for cleaning up : Other information :	Absorb and/or contain spill with inert material, then place in suitable container. Place in a suitable container for disposal in accordance with the waste regulations (see Section 13).
6.4. Reference to other sections	
No additional information available	

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Do not get in eyes, on skin, or on clothing. Wear personal protective equipment. Wash hands with water and soap. Do not breathe mist, vapors. Ensure adequate ventilation.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including a	any incompatibilities
Storage conditions	: Store in corrosive resistant container with a resistant inner liner. Keep only in original container. Store in dry, cool, well-ventilated area. Keep container closed when not in use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Barnacle Buster®		
No additional information available		
Phosphoric acid (7664-38-2)		
USA - ACGIH - Occupational Exposure Limit	its	
Local name	Phosphoric acid	
ACGIH OEL TWA	1 mg/m ³	
ACGIH OEL STEL	3 mg/m ³	
Remark (ACGIH)	TLV® Basis: URT, eye, & skin irr	
Regulatory reference	ACGIH 2021	
USA - OSHA - Occupational Exposure Limit	ts	
Local name	Phosphoric acid	
OSHA PEL (TWA)	1 mg/m ³	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	
Triethanolamine (102-71-6)		
USA - ACGIH - Occupational Exposure Limit	its	
Local name	Triethanolamine	
ACGIH OEL TWA	5 mg/m³	
Remark (ACGIH)	TLV® Basis: Eye & skin irr	
Regulatory reference	ACGIH 2021	
8.2. Appropriate engineering controls		
Appropriate engineering controls	: Use with adequate general or local exhaust ventilation to maintain exposure levels below the occupational exposure limits.	
Environmental exposure controls	: Avoid release to the environment.	
8.3. Individual protection measures/Personal protective equipment		
Materials for protective clothing:		
Impervious clothing		

Hand protection:

Wear impervious gloves. Consult supplier for specific recommendations.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Eye protection:

Use suitable eye protection. Goggles + face shield

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In operations where exposure limits are exceeded or exposure levels are excessive, an approved respirator should be used. Respirator selection and use should be based on contaminant type, form and concentration. Follow applicable regulations and good Industrial Hygiene practice.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Blue. Liquid.
Color	: Blue
Odor	: Amine-like
Odor threshold	: No data available
рН	: 1
Melting point	: Not applicable
Freezing point	: -37 °C
Boiling point	: 167 °C
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: Same as water
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: 14 mm Hg 20°C
Relative vapor density at 20 °C	: No data available
Relative density	: 1.14
Solubility	: Miscible with water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

May be corrosive to some metals.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.4. Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

10.5. Incompatible materials

Keep away from oxidizers, strong acids and strong bases. metals.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects	
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	Not classified Not classified Not classified
Phosphoric acid (7664-38-2)	
LD50 oral rat	1530 mg/kg
LD50 dermal rabbit	2740 mg/kg
ATE US (oral)	1530 mg/kg body weight
ATE US (dermal)	2740 mg/kg body weight
Triethanolamine (102-71-6)	
LD50 oral rat	6400 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
ATE US (oral)	6400 mg/kg body weight
Skin corrosion/irritation	: Causes severe skin burns. pH: 1
Serious eye damage/irritation	Causes serious eye damage.pH: 1
	Not classified
Germ cell mutagenicity Carcinogenicity	Not classified
Triethanolamine (102-71-6)	
NOAEL (chronic,oral,animal/male,2 years)	63 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 451 (Carcinogenicity Studies)
IARC group	3 - Not classifiable
STOT-single exposure	Not classified Not classified Not classified
Phosphoric acid (7664-38-2)	
NOAEL (oral,rat,90 days)	250 mg/kg body weight
Triethanolamine (102-71-6)	
NOAEL (oral,rat,90 days)	1000 mg/kg body weight
	Not classified No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/effects	: Causes eye and skin burns. Severe corrosion to the respiratory tract at high concentrations. May
Inhalation	cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract. : Corrosive to the respiratory tract. May cause irritation to the respiratory tract, sneezing,
	coughing, burning sensation of throat with constricting sensation of the larynx and difficulty in breathing.
Skin	: Causes severe burns.
Eyes	: Causes serious eye burns. Serious damage to eyes.
Ingestion	: Burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.
Chronic symptoms	: None known.

SECTION 12: Ecological information

12.1. Toxicity	
Ecology - general :	Before neutralization, the product may represent a danger to aquatic organisms.
Phosphoric acid (7664-38-2)	
EC50 - Crustacea [1]	> 100 mg/l
NOEC chronic algae	100 mg/l
Triethanolamine (102-71-6)	
LC50 - Fish [1]	11800 mg/l Pimephales promelas (Fathead minnow)
EC50 - Crustacea [1]	609.88 mg/l Ceriodaphnia dubia
NOEC chronic fish	> 1 mg/l
12.2. Persistence and degradability	
Phosphoric acid (7664-38-2)	
Persistence and degradability	Readily biodegradable.
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
No additional information available	

SECTION 13: Disposal considerations 13.1. Disposal methods

Regional	legisla	tion	(waste))
Waste tre	atmen	t me	thods	

- : Dispose of in accordance with applicable federal, state, and local regulations.
- vaste treatment methods
- : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with DOT / IMDG / IATA

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT	IMDG	ΙΑΤΑ
14.1. UN number		
1805	1805	1805
14.2. Proper Shipping Name		
Phosphoric acid solution	PHOSPHORIC ACID SOLUTION	Phosphoric acid, solution
14.3. Transport hazard class(es)		
8	8	8
CORROSIVE 8 Not applicable	B B	8
14.4. Packing group		
14.5. Environmental hazards Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No
No supplementary information available		
DOT UN-No.(DOT) DOT Special Provisions (49 CFR 172.102) DOT Packaging Exceptions (49 CFR 173.xxx) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) DOT Vessel Stowage Location DOT Vessel Stowage Other	 (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 a with a vapor pressure less than or equal to 110 C (1.3 bar at 131 F) are authorized, except for 2 for UN2672). N34 - Aluminum construction materials are not normally in contact with the hazardous materia T4 - 2.65 178.274(d)(2) Normal	1N); Rigid plastics (31H1 and 31H2); Composite ind 31HH2). Additional Requirement: Only liquids 0 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 UN2672 (also see Special Provision IP8 in Table t authorized for any part of a packaging which is al. 75(d)(3) exceed the degree of filling determined by the Where: tr is the maximum mean bulk temperature egrees celsius of the liquid during filling.
IMDG Special provision (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG)	: 223 : 5 L : E1	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Packing instructions (IMDG)	: P001, LP01
c	
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1
EmS-No. (Fire)	: F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE
EmS-No. (Spillage)	: S-B - SPILLAGE SCHEDULE Bravo - CORROSIVE SUBSTANCES
Stowage category (IMDG)	: A
Properties and observations (IMDG)	: Miscible in water. Mildly corrosive to most metals.
ΙΑΤΑ	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y841
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 852
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 856
CAO max net quantity (IATA)	: 60L
Special provision (IATA)	: A3, A803
ERG code (IATA)	: 8L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

Phosphoric acid (7664-38-2)	
CERCLA RQ	5000 lb

15.2. International regulations

CANADA

 Phosphoric acid (7664-38-2)

 Listed on the Canadian DSL (Domestic Substances List)

 Triethanolamine (102-71-6)

 Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Phosphoric acid(7664-38-2)	U.S Delaware - Pollutant Discharge Requirements - Reportable Quantities; U.S New Jersey - Right to Know Hazardous Substance List
Triethanolamine(102-71-6)	U.S New Jersey - Right to Know Hazardous Substance List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases	
H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.