# **TW** Engineered Polymers

# SAFETY DATA SHEET

#### 1. Identification

**Product identifier** Gluvit - Resin

Other means of identification

SKU# RM330R Recommended use Not available. Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

**ITW Engineered Polymers** Company name **Address** 130 Commerce Drive Montgomeryville, PA 18936

**United States** 

215-855-8450 **Telephone** Customer Service

Website www.itwcoatings.com E-mail orders@itwcoatings.com

**Contact person EHS** Department

CHEMTREC **Emergency phone number** 800-424-9300 International 703-527-3887

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, dermal Category 4

> Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2 Sensitization, skin Category 1 Category 2

**Environmental hazards** Hazardous to the aquatic environment,

long-term hazard

Not classified. **OSHA** defined hazards

Label elements



Signal word Warning

Hazard statement Harmful if swallowed. Harmful in contact with skin. May cause an allergic skin reaction.

**Precautionary statement** 

Prevention Avoid breathing vapors. Wash thoroughly after handling. Do not eat, drink or smoke when using

this product. Use only outdoors or in a well-ventilated area. Wear protective gloves.

If swallowed: Call a poison center/doctor if you feel unwell. If on skin: Wash with plenty of water. If Response

inhaled: Remove person to fresh air and keep comfortable for breathing. Rinse mouth. If skin irritation or rash occurs: Get medical advice/attention. Take off immediately all contaminated

clothing and wash it before reuse.

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Storage

**Disposal** Not available. Hazard(s) not otherwise None known.

classified (HNOC)

Supplemental information

% of the mixture consists of component(s) of unknown acute oral toxicity. % of the mixture

consists of component(s) of unknown acute dermal toxicity. % of the mixture consists of component(s) of unknown acute inhalation toxicity. % of the mixture consists of component(s) of

unknown long-term hazards to the aquatic environment.

Material name: Gluvit - Resin RM330R Version #: 01 Issue date: 01-06-2015

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Crystalline SiO2 (Quartz)		14808-60-7	30 - 60
Epoxy Resin:reaction Product Of Bisphenol A And Epichlorohydrin (refer To Epichlorohydrin)		25068-38-6	30 - 60
ALKYL (C8-C10) GLYCIDYL ETHER		68609-96-1	5 - 10
Diacetone Alcohol		123-42-2	1 - 5
Other components below reportable le	vels		< 15

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or

artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other

proper respiratory medical device.

May cause allergic skin reaction.

Skin contact Take off immediately all contaminated clothing. Wash off with soap and plenty of water. If skin

irritation or rash occurs: Get medical advice/attention. For minor skin contact, avoid spreading

material on unaffected skin.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Ingestion

Most important

symptoms/effects, acute and delayed

Indication of immediate treatment needed

Provide general supportive measures and treat symptomatically. In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed. medical attention and special

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Take off immediately all contaminated clothing. In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Wash contaminated clothing before reuse.

#### 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Water runoff can cause environmental damage.

General fire hazards

No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Immediately evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate personal protective equipment. Fully encapsulating, vapor protective clothing should be worn for spills and leaks with no fire. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Avoid inhalation of vapors or mists. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Material name: Gluvit - Resin SDS US

# Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

## **Environmental precautions**

Never return spills in original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

# 7. Handling and storage

Precautions for safe handling

Do not taste or swallow. Avoid breathing vapor. Avoid contact with skin. Avoid contact with eyes. Avoid prolonged exposure. Avoid contact with clothing. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Avoid release to the environment. Do not empty into drains.

Conditions for safe storage, including any incompatibilities Store locked up. Keep container tightly closed. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place.

# 8. Exposure controls/personal protection

#### Occupational exposure limits

Components	Туре	Value	
Diacetone Alcohol (CAS 123-42-2)	PEL	240 mg/m3	
,		50 ppm	
US. OSHA Table Z-3 (29 CI			_
Components	Туре	Value	Form
Crystalline SiO2 (Quartz) (CAS 14808-60-7)	TWA	0.3 mg/m3	Total dust.
		0.1 mg/m3	Respirable.
		2.4 mppcf	Respirable.
US. ACGIH Threshold Limit	it Values		
Components	Туре	Value	Form
Crystalline SiO2 (Quartz) (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Diacetone Alcohol (CAS 123-42-2)	TWA	50 ppm	
US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Туре	Value	Form
Crystalline SiO2 (Quartz) (CAS 14808-60-7)	TWA	0.05 mg/m3	Respirable dust.
Diacetone Alcohol (CAS 123-42-2)	TWA	240 mg/m3	
		50 ppm	
logical limit values	No biological exposure limits noted for	or the ingredient(s).	
propriate engineering trols	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.		
vidual protection measures	s, such as personal protective equipm	ent	
Eye/face protection	Wear safety glasses with side shields	s (or goggles). Wear a full-face	respirator, if needed.
Skin protection			
Hand protection	Wear protective gloves.		
Other	Wear appropriate chemical resistant	clothing	
Other	Wear appropriate chemical resistant	ciotimig.	

Material name: Gluvit - Resin

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

# 9. Physical and chemical properties

Liquid. **Appearance** Liquid. Physical state **Form** Liquid.

Amber Color Odor Slight.

Not available. Odor threshold Not available. pН Not available. Melting point/freezing point

Initial boiling point and boiling

range

> 500 °F (> 260 °C)

> 400.0 °F (> 204.4 °C) Pensky-Martens Closed Cup Flash point

**Evaporation rate** Not available. Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits Not available.

Flammability limit - lower

(%)

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Not available. Not available.

Vapor density Relative density

Not available.

Solubility(ies)

Solubility (water) Not available. **Partition coefficient** Not available.

(n-octanol/water)

**Auto-ignition temperature** Not available. **Decomposition temperature** Not available. **Viscosity** Not available.

Other information

**Density** 1.47 g/cm3

Combustible IIIB estimated Flammability class

1.47 Specific gravity

# 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid temperatures exceeding the flash point.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

Material name: Gluvit - Resin SDS US

# 11. Toxicological information

Information on likely routes of exposure

**Inhalation** Toxic by inhalation.

**Skin contact** Toxic in contact with skin. May cause an allergic skin reaction.

**Eye contact** Due to lack of data the classification is not possible.

**Ingestion** Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Not available.

#### Information on toxicological effects

**Acute toxicity**Toxic by inhalation. Toxic in contact with skin. Harmful if swallowed. May cause allergic skin

reaction.

Skin corrosion/irritation

Due to lack of data the classification is not possible.

Serious eye damage/eye

Due to lack of data the classification is not possible.

irritation

## Respiratory or skin sensitization

**Respiratory sensitization** Due to lack of data the classification is not possible.

**Skin sensitization** May cause an allergic skin reaction.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** Due to lack of data the classification is not possible.

#### IARC Monographs. Overall Evaluation of Carcinogenicity

Crystalline SiO2 (Quartz) (CAS 14808-60-7) 1 Carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

#### US. National Toxicology Program (NTP) Report on Carcinogens

Crystalline SiO2 (Quartz) (CAS 14808-60-7)

Known To Be Human Carcinogen.

**Reproductive toxicity**Due to lack of data the classification is not possible. **Specific target organ toxicity -**Due to lack of data the classification is not possible.

single exposure

Specific target organ toxicity -

repeated exposure

Due to lack of data the classification is not possible.

**Aspiration hazard** Due to lack of data the classification is not possible.

Chronic effects None known.

#### 12. Ecological information

**Ecotoxicity** Harmful to aquatic life with long lasting effects. Accumulation in aquatic organisms is expected.

Persistence and degradability No data is available on the degradability of this product.

**Bioaccumulative potential**No data available for this product.

#### Partition coefficient n-octanol / water (log Kow)

Diacetone Alcohol -0.098

Mobility in soil Not available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material

and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Material name: Gluvit - Resin sps us

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

# 14. Transport information

#### DOT

Not regulated as dangerous goods.

**IATA** 

UN3082 **UN number** 

**UN proper shipping name** Transport hazard class(es)

Environmentally hazardous substance, liquid, n.o.s. (Epoxy Resin)

9 Class Subsidiary risk Packing group Ш **Environmental hazards** Yes **ERG Code** 9L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety

instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

aircraft

Allowed.

Cargo aircraft only Allowed.

**IMDG** 

UN3082 **UN number** 

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy Resin), MARINE **UN** proper shipping name

**POLLUTANT** 

Transport hazard class(es)

Class 9 Subsidiary risk Ш Packing group **Environmental hazards** 

Marine pollutant Yes F-A, S-F

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety

instructions, SDS and emergency procedures before handling. This substance/mixture is not intended to be transported in bulk.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code



Material name: Gluvit - Resin SDS US

#### Marine pollutant



**General information** IMDG Regulated Marine Pollutant.

# 15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

## TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

#### CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

#### SARA 304 Emergency release notification

Not regulated.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

No

**Hazard categories** Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

#### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

#### SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

# Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

#### **US state regulations**

#### US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

#### **US. Massachusetts RTK - Substance List**

Crystalline SiO2 (Quartz) (CAS 14808-60-7)

Diacetone Alcohol (CAS 123-42-2)

# US. New Jersey Worker and Community Right-to-Know Act

Crystalline SiO2 (Quartz) (CAS 14808-60-7)

Diacetone Alcohol (CAS 123-42-2)

#### US. Pennsylvania Worker and Community Right-to-Know Law

Crystalline SiO2 (Quartz) (CAS 14808-60-7)

Diacetone Alcohol (CAS 123-42-2)

# US. Rhode Island RTK

Not regulated.

Material name: Gluvit - Resin

#### **US. California Proposition 65**

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

#### US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Crystalline SiO2 (Quartz) (CAS 14808-60-7)

Ethyl Benzene (CAS 100-41-4)

Titanium Dioxide (CAS 13463-67-7)

Listed: October 1, 1988

Listed: June 11, 2004

Listed: September 2, 2011

US - California Proposition 65 - CRT: Listed date/Male reproductive toxin

BUTYL GLYCIDYL ETHER (CAS 2426-08-6) Listed: August 7, 2009

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

Toxic Substances Control Act (TSCA) Inventory

# 16. Other information, including date of preparation or last revision

**Issue date** 01-06-2015

Version # 01

United States & Puerto Rico

HMIS® ratings Health: 2

Flammability: 0 Physical hazard: 0

NFPA ratings Health: 2

Flammability: 0 Instability: 0

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.

**Revision Information** Product and Company Identification: Product and Company Identification

Physical & Chemical Properties: Multiple Properties
Transport Information: Material Transportation Information

Regulatory Information: United States

GHS: Classification

Material name: Gluvit - Resin SDS US

RM330R Version #: 01 Issue date: 01-06-2015

Yes

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).



# SAFETY DATA SHEET

#### 1. Identification

**Product identifier** Gluvit - Hardener

Other means of identification

SKU# RM330H Recommended use Not available. Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

**ITW Engineered Polymers** Company name **Address** 130 Commerce Drive Montgomeryville, PA 18936

**United States** 

215-855-8450 **Telephone** Customer Service

Website www.itwcoatings.com E-mail orders@itwcoatings.com

**Contact person EHS** Department

800-424-9300 CHEMTREC **Emergency phone number** 

International 703-527-3887

# 2. Hazard(s) identification

Physical hazards Not classified.

**Health hazards** Skin corrosion/irritation Category 1C

> Serious eye damage/eye irritation Category 1

**Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

Label elements



Signal word Danger

**Hazard statement** Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage.

**Precautionary statement** 

Prevention Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when

using this product. Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all Response

contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Wash contaminated clothing

before reuse.

Store locked up. Storage **Disposal** Not available.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information % of the mixture consists of component(s) of unknown acute oral toxicity.

#### 3. Composition/information on ingredients

**Mixtures** 

Material name: Gluvit - Hardener SDS US

Chemical name	Common name and synonyms	CAS number	%
Poly(oxypropylene)diamine		9046-10-0	30 - 60
2,4,6-tris-(dimethylaminomethyl)-ph enol		90-72-2	5 - 10
Bis[(dimethylamino)methyl]phenol		71074-89-0	1 - 5
Fatty Acids, Tall Oil Polymers With Linoleic Acid Dimers And Tetraethylenepentamine		68605-86-7	1 - 5

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Take off immediately all contaminated clothing. Rinse skin with water/shower. Chemical burns Skin contact

must be treated by a physician. For minor skin contact, avoid spreading material on unaffected

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing.

Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If Ingestion

vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Corrosive effects. May cause temporary blindness and severe eye damage. Symptoms may

Most important symptoms/effects, acute and

delayed

include stinging, tearing, redness, swelling, and blurred vision.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to General information protect themselves. In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Wash contaminated clothing before reuse.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefighters

Fire fighting equipment/instructions

General fire hazards

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Move containers from fire area if you can do so without risk.

No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

Material name: Gluvit - Hardener SDS US

## 7. Handling and storage

Precautions for safe handling Do not breathe mist or vapor. Do not get this material in contact with eyes. Do not get this material

in contact with skin. Do not taste or swallow. Do not get this material on clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. When using, do not eat, drink or smoke. Wash hands thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Store locked up. Keep container tightly closed. Store in a cool, dry place out of direct sunlight.

# 8. Exposure controls/personal protection

Occupational exposure limits No exposure limits noted for ingredient(s).

**Biological limit values**No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Provide eyewash station.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear eye/face protection. Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear protective gloves.

Other Wear appropriate chemical resistant clothing. It may provide little or no thermal protection.

**Respiratory protection** Wear suitable respiratory protection.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Do not get this material on clothing. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove

contaminants.

# 9. Physical and chemical properties

Appearance Liquid.
Physical state Liquid.
Form Liquid.
Color Amber
Odor Slight.

Odor threshold Not available.

pH 9.5 @ 5% solution

Melting point/freezing point Not available.

Initial boiling point and boiling

range

212 °F (100 °C) estimated

Flash point > 250.0 °F (> 121.1 °C) Setaflash

Evaporation rate Not available.
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.
Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Material name: Gluvit - Hardener sps us

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Density 0.98 g/cm3 estimated
Flammability class Combustible IIIB estimated

Specific gravity 0.98 estimated

# 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability**Material is stable under normal conditions. **Possibility of hazardous**Hazardous polymerization does not occur.

reactions

**Conditions to avoid** Avoid temperatures exceeding the flash point.

**Incompatible materials** Strong oxidizing agents.

Hazardous decomposition No hazardous de

products

No hazardous decomposition products are known.

# 11. Toxicological information

#### Information on likely routes of exposure

**Inhalation** May cause irritation to the respiratory system.

**Skin contact** Causes severe skin burns.

Eye contact Causes severe eye burns. Causes serious eye damage.

Ingestion Causes digestive tract burns. Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Burning pain and severe corrosive skin damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

#### Information on toxicological effects

Acute toxicity Harmful if swallowed.

**Skin corrosion/irritation** Causes severe skin burns and eye damage.

Serious eye damage/eye

irritation

Causes severe eye burns. Causes serious eye damage.

#### Respiratory or skin sensitization

**Respiratory sensitization**Due to lack of data the classification is not possible. **Skin sensitization**Due to lack of data the classification is not possible.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** Due to lack of data the classification is not possible.

## OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity

Due to lack of data the classification is not possible.

Specific target organ toxicity 
Due to lack of data the classification is not possible.

Single exposure

Specific target organ toxicity -

repeated exposure

Due to lack of data the classification is not possible.

**Aspiration hazard** Due to lack of data the classification is not possible.

# 12. Ecological information

**Ecotoxicity** Not expected to be harmful to aquatic organisms.

Persistence and degradability No data is available on the degradability of this product.

**Bioaccumulative potential**No data available for this product.

Mobility in soil Not available.

Material name: Gluvit - Hardener SDS US

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

#### 13. Disposal considerations

**Disposal instructions** 

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

# 14. Transport information

DOT

UN3267 **UN number** 

UN proper shipping name

Corrosive liquid, basic, organic, n.o.s. (Modified cycloaliphatic polyamines)

Transport hazard class(es)

Class 8 Subsidiary risk 8 Label(s) Packing group Ш

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety

instructions, SDS and emergency procedures before handling.

IB3, T7, TP1, TP28 **Special provisions** 

Packaging exceptions 154 Packaging non bulk 203 Packaging bulk 241

IATA

UN3267 **UN number** 

Corrosive liquid, basic, organic, n.o.s. (Modified cylcoaliphatic polyamines) **UN proper shipping name** 

Transport hazard class(es)

8 Class Subsidiary risk Ш Packing group **Environmental hazards** No. **ERG Code** 8L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety

instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

aircraft

Allowed.

Cargo aircraft only Allowed.

**IMDG** 

**UN number** UN3267

**UN proper shipping name** Transport hazard class(es) CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Modified cycloaliphatic polyamines)

Class 8 Subsidiary risk Ш Packing group **Environmental hazards** 

> Marine pollutant No. F-A. S-B

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety

instructions, SDS and emergency procedures before handling.

RM330H Version #: 01 Issue date: 01-06-2015

# Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

This substance/mixture is not intended to be transported in bulk.

DOT



IATA; IMDG



# 15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

Material name: Gluvit - Hardener

#### **US state regulations**

#### US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

#### **US. Massachusetts RTK - Substance List**

Not regulated.

#### US. New Jersey Worker and Community Right-to-Know Act

#### US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

#### **US. Rhode Island RTK**

Not regulated.

#### US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### International Inventories

Country(s) or region

ocanti y(o) or region	inventory name	On inventory (yes/ne/
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Toxic Substances Control Act (TSCA) Inventory

# 16. Other information, including date of preparation or last revision

Inventory name

01-06-2015 Issue date

Version # 01

Disclaimer

United States & Puerto Rico

Health: 3 HMIS® ratings Flammability: 0

Physical hazard: 0

**NFPA** ratings Health: 3

Flammability: 0

Instability: 0

The information provided in this Safety Data Sheet is correct to the best of our knowledge. information and belief at the date of its publication. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release.

Product and Company Identification: Product and Company Identification **Revision Information** 

Composition / Information on Ingredients: Component Summary

Physical & Chemical Properties: Multiple Properties

Material name: Gluvit - Hardener SDS US

On inventory (yes/no)\*

Yes