

Weaver Industries Accessories for Snap Davit System All items are made in the USA of stainless steel, and carry a lifetime warranty

Weaver Industries offers a variety of optional equipment to make your Weaver Snap Davit System for Inflatable Boats even more helpful, and to keep you and your equipment safe.

Weaver Quick Kit for Snap Davits — Defender item #450492

- Designed for easy release of Snap Davit Heads from swim platform when not in use
- Low-profile brackets mount permanently to swim platform
- Snap davit heads slide into brackets, secured with locking pins
- Kit includes 2 brackets, 2 pins with lanyards, mounting hardware
- Use with RBD100 and SSHR for SD1 Snap Davit Kits

Weaver Fixed Length Stand-Off Brackets (5 models in 6" increments from 12" to 36"). Defender items 450498 through 450502

- Stainless steel brackets stand dinghy off boat's transom when stowed upright on swim platform with Snap Davit System
- Stand-Offs pivot (swaged end allows bracket to swivel) back to boat transom and clip neatly in place when not in use
- Spring-loaded thumb lever for one-handed operation
- Can be used with fiberglass, wood or aluminum dinghies as well as inflatable dinghies (Snap Davit System weight capacity: up to 150 lbs)
- Brackets sold as a pair
- Supplied with 4 L-clips for storage and attaching to dinghy





Weaver Adjustable Length Stand-Off Brackets (5 models, each adjustable up to 6" from a 12"-18" model to a 36"-42" model). Defender items 455614 through 455618

Same features as above, plus:

• Adjustable Stand-Offs come with standard ends or clips on both ends for storage and attaching to dinghy

Weaver Size 1 Transom Arc for Inflatable Dinghies – This item requires customer to complete a worksheet with specific boat and motor information to determine compatibility prior to special order. <u>See worksheet here</u> and more about the Transom Arc here. Or call us at 800-628-8225.

- Curved stainless steel tube connects to dinghy transom and snaps directly into davit head mounted on swim platform
- To be used in place of dinghy tube rubber pad (RP101) and yoke (RSH120) system near the stern of the dinghy to transfer weight of outboard to swim platform
- Arc #1 is designed for inflatables with 15" 17" diameter tubes and transom up to 4" lower than top of tubes
- Release pin on receiver bracket (mounted on transom) allows for easy removal and storage of Arc when not in use

Weaver Swim Platform MotoSto Bracket – Defender item #300012

- Stores outboard motor (up to 130 lbs) in horizontal position on swim platform
- Mounting board dimensions: 9-1/4" W x 8" H x 1-1/2" D
- Bracket is removable from swim platform except for low-profile receiver plate
- Allows you to remove and secure outboard motor on swim platform before getting out of your dinghy



Weaver Swim Platform MotoSto Bracket (for smaller motors) – Defender item #300013

Same features as above for outboards up to 115 pounds



Weaver Leaver Outboard Motor Rotating Bracket Kit — This item requires customer to complete a worksheet with specific boat and motor information to determine compatibility prior to special order. <u>See</u> <u>worksheet here</u> and more about the <u>Weaver Leaver</u> <u>here</u>. Or call us at 800-628-8225.

- Allows you to leave your motor mounted to inflatable when dinghy is stored in raised position on swim platform
- Bracket allows motor to pivot and remain upright
- Lifting capacity: 85 lbs
- Installation requires 13" of flat transom area
- Designed for inflatables with transoms 4 6" lower than top of tubes
- Designed for outboards without power tilt
- Bracket supplied with all items required for installation adjustable supporting rod, long and short push pins, pad eye, stand-off clip and mounting hardware

