





Zodiac Wave 310 Compact RIB

Length 10' 2", 79 lbs

Zodiac Wave Air Floor

Wave 275 - Length 9'0", 55 lbs

Wave 310 - Length 10'2", 60 lbs

Zodiac Wave Aluminum Floor

Wave 275 HD - Length 9'0", 81 lbs

Wave 310 HD - Length 10' 2", 90 lbs

What makes the French-built Zodiac Wave inflatable boats the most technologically manufactured PVC tenders in the marketplace?

Why is a Zodiac Wave the best value in a PVC tender?





Key Advantages

- Zodiac's proprietary, durable Strongan PVC fabric
- Thermo-welded seams
 no adhesives to fail
- Welded & riveted transom cuff
 no adhesives to fail
- All accessories are welded
 no adhesives to fail
- High-pressure air floor

 more stability

 & better performance
- Easy-to-use cockpit drain
 accessible from cockpit
- Tried & true, simple, dependable air valves
- Global service network








Zodiac Proprietary Strongan PVC Fabric

- Tightly woven 1100 Decitex high-tenacity polyester cloth
- Coated with UV-stabilized PVC layers
- Proven reliable over many years
- Quality fabric is key to longevity
- Used on all of Zodiac's smaller tenders



Fully Thermo-Welded Tube Construction — No Adhesive To Fail

- Buoyancy tubes manufactured with proprietary thermo-welding equipment
- Seams reinforced with interior and exterior seam tape welded together
- Welded seams provide best air retention
- Adhesive failure is the most common problem in glued PVC inflatable boats









Thermo-Welded & Riveted Transom Cuff

- Transom cuffs are first thermo-welded to the buoyancy tube
- Transom is then welded to the cuffs using a rail of rivets that weave through the transom
- Zodiac Wave features the only adhesive-free, transom-to-tube attachment system in the industry
- Welded transoms are not subject to separation typically caused by adhesive failure
- Welded, riveted transom cuff provides a stronger and more secure bond than any glued assembly





Thermo-Welded & Riveted Transom Cuff


Manufacturing Process



Male and female rivet rails



Rivet rails attached to transom prior to cuff welding



Single rivet cross section



Rivet rail





Welded Accessories

- All accessories are thermo-welded onto buoyancy tubes — no adhesive to fail
- Accessories include: rub strake, aft lift handles, towing D-rings, bow lift handle, oarlock base, oar retainer buttons, bow bag buttons, grab-line retainers, seat retaining patches
- Air valve bases are also thermo-welded to tubes







Air Floor

- Zodiac Wave features a true high pressure air floor
- Inflation pressure of 11.3 psi
- Air floors from other manufacturers have a lower maximum rated inflation pressure
- High-pressure air floor provides a far more rigid platform and more stability under foot
- Original Zodiac valves on air keel and on air floor models. Trusted for decades and field-proven.







Easy-To-Use Cockpit Drain

- Accessible from the cockpit, unlike other manufacturers' boats, which require reaching over transom to pull plug
- Slide-bailer design allows operator to simply slide the lever to open the bailer
- Upon acceleration, water drains out
- Once cockpit is drained, close bailer

Aluminum Transom Plate

• Top cap protects transom from motor damage











Components / Parts

- Zodiac Wave components are readily available from Defender and inflatable boat dealers around the globe
- Air valves have been in production for over 50 years; simple, dependable design has not been modified, making replacement in the field easy if necessary
- Oars, oarlocks, oar retainers are standard Zodiac equipment, stocked by Defender and most Zodiac Dealers or available from many online suppliers

Bravo Foot Pump

- Included with all Wave models
- Made by Scoprega









Service Network

In the event you have an issue with your boat, whether a warranty problem or random mishap, the Zodiac Wave series is covered by the extensive Zodiac service network.

This global network, including Defender, is comprised of over 1600 outlets providing advice, product assistance and service.

The Zodiac Wave is the most technologically manufactured PVC tender and is the best value in a PVC tender.

Interested? Contact us



800-628-8225 • defender.com • info@defender.com