



Medline **New Line**

500 • 540 • 580



Medline New Line

500 • 540 • 580

NEW HULL – NEW DECK – NEW TUBE

Comprising of three boats, the new Medline range has been completely redesigned to deliver outstanding comfort, ride quality, performance, and fun in the sun!





New hull, new deck, new tube




Table system towards the bow for a "dining area"

Medline 500

The specifications of each Medline have been designed to achieve an optimal power-to-weight ratio. The Medline Series requires less horsepower than conventional power boats, resulting in higher fuel economy. The Medline 500 can be easily towed by most mid-size vehicles.



On the Medline 540, the rear seat backrest collapses to provide an exceptional sundeck



Plentiful storage space

Medline 540

Deck plans create exceptional ergonomics and modularity: On-board movement is easy, the sundecks are spacious and can be set up set-up in seconds; the aftdeck feels comfortable and secure. Sunbathing, dining or swimming, it couldn't be easier.



Clever convertible stern bench for an extra sundeck



Aft bathing platform to ensure safe re-boarding

Medline 580

The hull's build quality, the comfort of the upholstery, the top-of-the-range fittings, and easy maintenance of the tubes... Every detail is the result of Zodiac®'s years of marine experience.

MEDLINE EQUIPMENT

HULL

- Deep V-shaped polyester hull
- Moulded non-slip deck
- Self-draining cockpit
- Wide bow locker (sealed)
- Sealed stern storage locker with seat
- Electric bilge pump (580)
- Hydraulic steering (580)

TUBE

- Removable "Banana" shape buoyancy tube
- Strongan™ Duotex™ or Hypalon™- Neoprene™ fabric (500-540)
- Strongan™ Hypalon™ fabric (580)
- "Easy Push" valves
- Fabric-covered handrail
- External handle cleats
- Ultra-wide deflecting rubbing strake
- Truncated cones
- Bow roller with integrated mooring cleat

STANDARD EQUIPMENT

- Console with varnished wood steering wheel
- Windscreen and handrail
- Co-pilot's seat with backrest (500)
- Co-pilot's seat with collapsible sundeck backrest (540)
- Co-pilot's seat with collapsible sundeck backrest (580)
- Leaning post (580)
- Bathing ladder
- Handle to get back on board
- Fuel tank (90 litres)

OPTIONAL EQUIPMENT

- Position ski mast light with portside, starboard and mooring lights
- Compass
- GPS/depth sounder
- Full bow upholstery
- Removable bow sundeck
- Bow table kit
- Shower kit with freshwater tank
- Electric bilge pump (500-540)
- Ski mast
- Arch/roll bar
- Bimini top
- Deck in synthetic teak
- Jacking points
- Mooring awning
- Console panel (in synthetic teak)
- Console awning
- Bolster awning (580)
- Audio system
- 12V socket
- Folding table (bolster 580)

newline



Medline 500



Medline 540



Medline 580



Medline 580



Fun in the Sun!

easy
to use

practical

clever



	MEDLINE 500	MEDLINE 540	MEDLINE 580
DIMENSIONS (metres – feet/inches)			
Overall length	5 / 16'5"	5,4 / 17'9"	5,8 / 19'0"
Inside length	4,06 / 13'4"	4,5 / 14'9"	4,91 / 16'1"
Overall width	2,24 / 7'4"	2,28 / 7'6"	2,54 / 8'4"
Inside width	1,25 / 4'1"	1,25 / 4'1"	1,44 / 4'9"
Buoyancy tube diameter	0,5 / 1'8"	0,52 / 1'8"	0,55 / 1'10"
CAPACITY			
Passengers (ISO C/B)	9	10	12
Maximum payload ¹ (en kg / lbs) Cat C	1232 / 2716	1288 / 2839	1420 / 3130
Total weight (kg/lbs)	353 / 778*	404 / 891	601 / 1325
Airtight compartments	5	5	5
DESIGN CATEGORY			
European directive N° 94/25/CE	C	C	C
OUTBOARD DATA			
Shaft: ● Short ■ Long ✕ Extralong * Ultralong ▲ Jet	■	■	✕
Minimum recommended power ² (Hp – kW)	40 – 30	60 – 45	80 – 60
Maximum recommended power ² (Hp – kW)	80 – 60	100 – 75	115 – 86
Maximum power allowed ³ (Hp – kW)	80 – 60	100 – 75	115 – 86
Maximum weight of outboard ⁴ (kg / lbs)	191 / 422	231 / 510	244 / 538
HULL STORAGE DIMENSIONS (metres – feet/inches)			
Length	4,5 / 14'9"	4,85 / 15'11"	5,25 / 17'3"
Width	1,53 / 5'0"	1,54 / 5'1"	1,89 / 6'2"
Height	1,43 / 4'8"	1,6 / 5'3"	1,6 / 5'3"
Hull angle	25°	25°	22,5°

Indicated measurements may vary by +/- 3%, or +/- 5% for weight and speed measurements. (1) Maximum permitted load is calculated using ISO standards. Caution is advised when operating fully laden boats. (2) Recommended power is based on optimal use of the boat's abilities under average load. Depending on use, choose either maximum (waterskiing) or minimum power (fishing, cruising). (3) The manufacturer's plaque specifies maximum permitted power. The power of your boat must not exceed this under any circumstances. (4) Maximum permitted weight: dry weight, according to motor manufacturers' catalogue specifications. (5) Maximum speeds are intended as a guide only; they were measured in ideal conditions by professional pilots with one person aboard. They may vary according to make of motor, boat load, propeller type and water conditions. (6) Models in this catalogue are sometimes shown with optional accessories. Please check standard equipment supplied with each model and see your distributor for any additional equipment. The availability of certain models, as well as certain equipment details may vary from country to country (e.g. USA, Canada). The boats photographed in this catalogue may differ from the actual models. Zodiac® continually strives to improve the quality of its products and as such reserves the right to modify or delete any model presented in this catalogue without prior notice. Zodiac® recommends that a life jacket is worn at all times; it is your own responsibility to check the legal obligations on your navigation zone.

*5 anni di garanzia sui tessuti del tubolare ed 2 anni di garanzia sulla carena ed le giunzioni del tubolare. Delle estensioni di garanzia sono disponibili secondo i prodotti su certe zone geografiche. Informazioni disponibili presso il vostro distributore ed su zodiacmarine.com



For more information, visit
www.zodiacmarine.com

Zodiac® is a registered trade mark – Copyright© Zodiac® 2013

