

# VITRIFRIGO

COOL AND BEYOND

STAINLESS  
STEEL SERIES



DW360



DW35



DRW70A



DRW180A



[www.vitrifrigo.com](http://www.vitrifrigo.com)



Made in Italy

STAINLESS STEEL DRW SERIES	FLANGE (*)			BUILT IN			VOLUME DOOR/DRAWER			
	VERSION	In.	In.	In.	In.	In.	In.	Cu. Ft.	Cu. Ft.	Cu. Ft.
DRW180	FLUSH	1	26 1/4	34 7/16	23 1/4	24 5/16	33 3/4	Total 5.3	-	-
DRW180	SURFACE	1	26 1/4	34 7/16	21 1/4	24 5/16	33 3/4	Total 5.3	-	-
DRW70	FLUSH	1	26 1/4	18 3/8	23 1/4	24 5/16	17 11/16	2.8	-	-
DRW70	SURFACE	1	26 1/4	18 3/8	21 1/4	24 5/16	17 11/16	2.8	-	-
<b>STAINLESS STEEL DRW SERIES</b>										
DW360	FLUSH	1	26 1/4	67 3/16	23 1/4	24 5/16	66 11/16	5.5	2.8	2.3
DW360	SURFACE	11/16	25 3/8	66 7/8	21 5/8	24 5/16	66 15/16	5.5	2.8	2.3
DW250	FLUSH	1	26 1/4	52 3/8	23 3/8	24 5/16	51 15/16	5.5	2.6	-
DW250	SURFACE	11/16	25 3/8	52 1/16	21 5/8	24 5/16	52 3/16	5.5	2.6	-
C180	FLUSH	1	26 1/4	34 1/8	22	24 5/16	33 11/16	5.5	-	-
C180	SURFACE	11/16	25 3/8	33 13/16	21 5/8	24 5/16	33 11/16	5.5	-	-
DW210	FLUSH	1	29 1/8	34 3/8	24 13/16	27 3/16	34 5/16	2.7	3.7	-
DW210	SURFACE	11/16	28 1/4	34 7/16	23 1/16	27 3/16	34 7/16	2.7	3.7	-
DW180	FLUSH	1	26 1/4	34 1/16	23 1/4	20 3/8	33 3/4	2.8	2.3	-
DW180	SURFACE	11/16	25 3/8	33 13/16	21 5/8	24 5/16	33 11/16	2.8	2.3	-
DW100	FLUSH	1	22 15/16	21 5/16	25 7/16	21 1/16	20 7/8	3.4	-	-
DW100	SURFACE	11/16	22 1/8	21	23 7/8	20 13/16	20 7/8	3.4	-	-
DW70	FLUSH	1	26 1/4	18 1/8	23 1/8	24 5/16	17 11/16	2.6	-	-
DW70	SURFACE	11/16	25 3/8	17 13/16	21 3/4	24 5/16	17 11/16	2.6	-	-
DW35	FLUSH	1	19 5/8	11 3/4	28 5/8	17 11/16	11 1/4	1.2	-	-
<b>STAINLESS STEEL SERIES</b>										
DRC130RXD4-F	FLUSH	1	23 1/8	30 5/16	21 7/8	21 3/8	30 3/16	4.6	0.6	
C75RXDR-F	FLUSH	1	21	24 5/8	17 13/16	19 3/16	24 7/16	2.6	0.4	
DW75	FLUSH	1	21	24 5/8	17 13/16	19 3/16	24 7/16	2.6	0.4	
C42RXD4-F	FLUSH	1	17 7/16	21 1/16	14 15/16	15 11/16	20 7/8	1.5	0.1	
DW42	FLUSH	1	17 7/16	21 1/16	14 15/16	15 11/16	20 7/8	1.5	-	
DP2600IXD4-F	FLUSH	1	24 13/16	53 5/16	23 11/16	23 7/16	52 15/16	8.1	2.1	
C115IXD4-F	FLUSH	1	23 1/8	30 5/16	21 3/4	21 3/8	30 3/16	4.1	0.6	
C90IXD4-F	FLUSH	1	21	24 5/8	21 9/16	19 1/8	24 7/16	3.2	0.3	
DW90	FLUSH	1	21	24 5/8	21 9/16	19 1/8	24 7/16	3.2	0.3	
C85IXD4-F	FLUSH	1	21 9/16	31 5/16	18 1/16	19 13/16	31 1/8	3.0	0.5	
C62IXD4-F	FLUSH	1	20 3/16	21 1/16	21 5/8	18 7/16	20 7/8	2.2	0.2	
C60IXD4-F	FLUSH	1	21	24 5/8	17 15/16	19 3/16	24 7/16	2.1	0.4	
C51IXD4-F	FLUSH	1	17 7/16	21 1/16	20 1/4	15 9/16	20 7/8	1.8	0.1	
DW51	FLUSH	1	17 7/16	21 1/16	20 1/4	15 9/16	20 7/8	1.8	0.1	
<b>ICEMAKERS</b>										
IMXT	FLUSH	1	16 1/4	20 9/16	17 1/8	14 9/16	18 13/16	0.8	-	
IMXT	SURFACE	11/16	15 1/4	19 1/8	15 3/4	14 1/8	18 3/4	0.8	-	
IMHYD	FLUSH	1	16 5/16	26 9/16	17 1/8	14 9/16	24 15/16	0.8	-	
IMHYD	SURFACE	11/16	15 1/4	25 1/4	15 3/4	14 1/8	24 13/16	0.8	-	
IMREF	FLUSH	1	16 5/16	26 9/16	16 1/8	14 9/16	24 15/16	0.8	-	
IMREF	SURFACE	11/16	15 1/4	25 1/4	14 9/16	14 1/8	24 13/16	0.8	-	

(\*) Dimensions shown are with the adjustable flange both in the flush position and in the surface position.

# VITRIFRIGO

COOL AND BEYOND

**BLACK**SERIES,  
TOP LOADING,  
FREEZERS



SLIM150RBD4-EQ



C42DWRBP4-F



C85BD4-F



C110RXNRF












TL37RP4



[www.vitrifrigo.com](http://www.vitrifrigo.com)



Made in Italy

BLACK SERIES	FLANGE (*)			BUILT IN			VOLUME		
									
VERSION	In.	In.	In.	In.	In.	In.	Cu. Ft.	Cu. Ft.	
<b>SLIM150RBD4-EQ</b>	-	-	16 7/16	59 9/16	15 3/4	16 7/16	59 9/16	4.9	0.6
<b>C130RBD4-F</b>	FLUSH	1	23 1/8	31 5/8	22 1/16	21 1/4	30 1/4	4.7	0.6
<b>C130RBD4-F</b>	SURFACE	1	23 1/8	31 5/8	20 3/8	21 1/4	30 1/4	4.7	0.6
<b>C75RBD4-F</b>	FLUSH	1	21	25 15/16	17 15/16	19 1/8	24 1/2	2.6	0.4
<b>C75RBD4-F</b>	SURFACE	1	21	25 15/16	16 1/4	19 1/8	24 1/2	2.6	0.4
<b>C75DWRBP4-F</b>	FLUSH	1	21	25 15/16	17 15/16	19 1/8	24 1/2	2.6	0.4
<b>C75DWRBP4-F</b>	SURFACE	1	21	25 15/16	16 1/4	19 1/8	24 1/2	2.6	0.4
<b>C42RBD4-F</b>	FLUSH	1	17 7/16	22 3/8	14 15/16	15 9/16	21	1.5	0.1
<b>C42RBD4-F</b>	SURFACE	1	17 7/16	22 3/8	13 1/4	15 9/16	21	1.5	0.1
<b>C42DWRBP4-F</b>	FLUSH	1	17 7/16	22 3/8	14 15/16	15 9/16	21	1.5	0.1
<b>C42DWRBP4-F</b>	SURFACE	1	17 7/16	22 3/8	13 1/4	15 9/16	21	1.5	0.1
<b>DP2600IBD4-F</b>	FLUSH	1	24 13/16	53 5/16	23 11/16	23 7/16	52 15/16	8.1	2.1
<b>DP150IBD4-F</b>	FLUSH	1	23 1/8	43 9/16	22 1/4	21 1/4	43 1/8	5.3	1.0
<b>DP150IBD4-F</b>	SURFACE	1	23 1/8	43 9/16	20 9/16	21 1/4	43 1/8	5.3	1.0
<b>C115IBD4-F</b>	FLUSH	1	23 1/8	31 5/8	21 7/8	21 1/4	30 1/4	4.1	0.6
<b>C115IBD4-F</b>	SURFACE	1	23 1/8	31 5/8	20 3/16	21 1/4	30 1/4	4.2	0.6
<b>C90IBD4-F</b>	FLUSH	1	21	25 15/16	21 3/4	19 1/8	24 1/2	3.2	0.3
<b>C90IBD4-F</b>	SURFACE	1	21	25 15/16	20 1/16	19 1/8	24 1/2	3.3	0.3
<b>C90DWIBD4-F</b>	FLUSH	1	21	25 15/16	21 3/4	19 1/8	24 1/2	3.2	0.3
<b>C90DWIBD4-F</b>	SURFACE	1	21	25 15/16	20 1/16	19 1/8	24 1/2	3.3	0.3
<b>C85IBD4-F</b>	FLUSH	1	21 9/16	32 5/8	18 1/4	19 11/16	31 3/16	3.0	0.4
<b>C85IBD4-F</b>	SURFACE	1	21 9/16	32 5/8	16 5/8	19 11/16	31 3/16	3.0	0.4
<b>C62IBD4-F</b>	FLUSH	1	20 3/16	22 3/8	21 13/16	18 5/16	21	2.2	0.1
<b>C62IBD4-F</b>	SURFACE	1	20 3/16	22 3/8	20 3/16	18 5/16	21	2.2	0.1
<b>C60IBD4-F</b>	FLUSH	1	21	25 15/16	17 13/16	19 1/8	24 1/2	2.1	0.4
<b>C60IBD4-F</b>	SURFACE	1	21	25 15/16	16 1/8	19 1/8	24 1/2	2.1	0.4
<b>C51IBD4-F</b>	FLUSH	1	17 7/16	22 3/8	20 7/16	15 9/16	21	1.8	0.1
<b>C51IBD4-F</b>	SURFACE	1	17 7/16	22 3/8	18 3/4	15 9/16	21	1.8	0.1
<b>C51DWRBD4-F</b>	FLUSH	1	17 7/16	22 3/8	20 7/16	15 9/16	21	1.8	0.1
<b>C51DWRBD4-F</b>	SURFACE	1	17 7/16	22 3/8	18 3/4	15 9/16	21	1.8	0.1
<b>C39IBD4-F</b>	FLUSH	1	17 13/16	23	15 1/2	15 15/16	21 9/16	1.4	0.1
<b>C39IBD4-F</b>	SURFACE	1	17 13/16	23	13 3/4	15 15/16	21 9/16	1.4	0.1
<b>TOP LOADING</b>									
<b>TL37RBP4 (**)</b>	-	-	-	-	20 3/16	16 1/8	16 1/8	1.3	Available as freezer
<b>TL40RBP4</b>	-	-	-	-	16 1/8	16 3/4	14 15/16	1.3	
<b>FREEZERS</b>									
<b>C110RXNR-F</b>	FLUSH	1/16	23 1/8	30 5/16	16 1/8	21 3/8	30 11/16	3.8	
<b>C110RBN4-F</b>	FLUSH	1/16	23 1/8	31 5/8	14 9/16	21 1/4	30 1/4	3.8	
<b>C110RBN4-F</b>	SURFACE	1/16	23 1/8	31 5/8	22 1/16	21 1/4	30 1/4	3.8	
<b>C55RXN4-F</b>	FLUSH	1/16	21	24 5/8	21 7/8	19 3/16	24 7/16	1.8	
<b>C55RBN4-F</b>	FLUSH	1/16	21	25 15/16	20 1/2	19 1/8	24 1/2	1.8	
<b>C55RBN4-F</b>	SURFACE	1/16	21	25 15/16	21 7/8	19 1/8	24 1/2	1.8	
<b>C35RBN4-F</b>	FLUSH	1/16	17 13/16	23	20 1/2	15 15/16	21 9/16	1.2	
<b>C35RBN4-F</b>	SURFACE	1/16	17 13/16	23	17 1/8	15 15/16	21 9/16	1.2	
<b>C30RBN4-F</b>	FLUSH	1/16	23 1/8	14 15/16	15 3/4	21 1/4	13 1/2	1.0	
<b>C30RBN4-F</b>	SURFACE	1/16	23 1/8	14 15/16	17 1/8	21 1/4	13 1/2	1.0	

(\*) Dimensions shown are with the adjustable flange both in the flush position and in the surface position.