Webasto
Feel the Drive

ALL-NEW FCF Platinum

Self-Contained Air Conditioning Series

Platinum is the new standard.

The all-new FCF Platinum series is the latest development in Webasto's line of marine comfort solutions. The FCF Platinum features improved design, offering a higher BTU/h rating across a variety of ambient scenarios, while still providing unmatched product reliability and a two-year warranty.

FCFP 6,000

Rated Voltage	115V	230V
Part Number	5011394A	5011395A
Cooling Capacity	6,000 BTU/h	
Heating Capacity	6,000 BTU/h	
Rated Frequency	60Hz	50 / 60Hz
Rated Current	4.7 A	2.9 / 2.4 A
Refrigerant Charge	R410A *(0.35kg)*	
Comp. LRA	21A	14A
Min. Condenser Water Flow	1.06 Gal/Min. *(4 L/Min.)*	
Dimensions (L x W x H)	11.2 x 16 x 11.6 in *(285 x 408 x 295 mm)*	
Weight	56 lbs *(25.5kg)*	

FCFP 10,000

Rated Voltage	115V	230V
Part Number	5011396A	5011397A
Cooling Capacity	10,000 BTU/h	
Heating Capacity	10,000 BTU/h	
Rated Frequency	60Hz	50 / 60Hz
Rated Current	7.2 A	4.2 / 3.7 A
Refrigerant Charge	R410A *(0.45kg)*	
Comp. LRA	34A	17A
Min. Condenser Water Flow	1.59 Gal/Min. *(6 L/Min.)*	
Dimensions (L x W x H)	15 x 16 x 12.2 in *(380 x 408 x 310 mm)*	
Weight	60 lbs *(27kg)*	

FCFP 12,000

Rated Voltage	115V	230V
Part Number	5011398A	5011399A
Cooling Capacity	12,000 BTU/h	
Heating Capacity	13,000 BTU/h	
Rated Frequency	60Hz	50 / 60Hz
Rated Current	10A	5.1 / 4.6 A
Refrigerant Charge	R410A *(0.5kg)*	
Comp. LRA	47A	27A
Min. Condenser Water Flow	2.77 Gal/Min. *(10.5 L/Min.)*	
Dimensions (L x W x H)	21.6 x 13.1 x 12.5 in *(549 x 330 x 320 mm)*	
Weight	72 lbs *(33kg)*	

FCFP 16,000

Rated Voltage	115V	230V
Part Number	5011400A	5011401A
Cooling Capacity	16,000 BTU/h	
Heating Capacity	16,200 BTU/h	
Rated Frequency	60Hz	50 / 60Hz
Rated Current	11.2 A	5.7 / 5.6A
Refrigerant Charge	R410A *(0.7kg)*	
Comp. LRA	60A	35A
Min. Condenser Water Flow	3.43 Gal/Min. *(13 L/Min.)*	
Dimensions (L x W x H)	24.3 x 13.5 x 13 in *(619 x 343 x 330 mm)*	
Weight	88 lbs *(40kg)*	

FCFP 20,000

Rated Voltage	230V
Part Number	5011402A
Cooling Capacity	20,000 BTU/h
Heating Capacity	20,000 BTU/h
Rated Frequency	50 / 60Hz
Rated Current	10.5/ 7.4 A
Refrigerant Charge	R410A *(0.85kg)*
Comp. LRA	44A
Min. Condenser Water Flow	5.02 Gal/Min. *(19 L/Min.)*
Dimensions (L x W x H)	20.8 x 23.4 x 15 in *(529 x 595 x 386 mm)*
Weight	124 lbs *(56.5kg)*



FCFP 25,000

Rated Voltage	230V
Part Number	5011403A
Cooling Capacity	25,500 BTU/h
Heating Capacity	25,900 BTU/h
Rated Frequency	50 / 60Hz
Rated Current (C/H)	6.8/ 8.0 A
Refrigerant Charge	R410A *(0.95kg)*
Comp. LRA	52A
Min. Condenser Water Flow	6.34 Gal/Min. *(24 L/Min.)*
Dimensions (L x W x H)	20.8 x 23.4 x 15 in *(529 x 595 x 386 mm)*
Weight	133 lbs *(60.5kg)*



FCF Platinum | Product Features + Installation

- Long and slim new footprint featured on the 12,000 and 16,000 BTU/h models - allowing for easy replacement of existing units
- Engineered for better performance with a higher BTU/h rating across a variety of ambient scenarios
- Digital display with controller and cable come standard
- 2-year warranty with unmatched product reliability
- Marine-grade stainless steel frame for durability and longevity
- Proprietary compressor - well balanced and quiet than ever before
- Low cost replacement parts



Accessories | KoolAir Pumps & Control

Webasto is the North American exclusive distributor of KoolAir Pumps to the marine industry.

- Three pumps available; PM500, PM1000 and TPM1000
- PM500 is a FULLY submersible pump
- Run Dry and Thermal Overload Protection
- All are available in 115 and 230V
- Motors are rated as: continuous duty
- One phase pumps

NEW ACCESSORY

Now Available

NEW FCF Remote Control

- Control your FCF from any place on your vessel
- Accessory option for all FCF Platinum Units

Part Number 5012610A



Webasto Thermo & Comfort North America, Inc.
15083 North Road
Fenton, Michigan 48430
USA
Toll Free: 800-860-7866
Phone: 810-593-6000
webasto.com

Part Number 910014 • 5/18 • Errors and omissions excepted • Printed in USA • © Webasto Thermo & Comfort North America, Inc. 2018